Annual Drinking Water Quality Report

For

Pleasant View Nursing Home, Inc

June 2009

PWSID #0060211

We are very pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the water quality and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make continually to improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Our water source is from four drilled wells located on the nursing home property. These wells draw their water from the Marsburg Schist Aquifer that is part of the Ijamsville formation. The water from these wells is pumped to the water storage tank, as the water enters the tank it is treated with a sodium hypochlorite solution for disinfection and a Rainsoft system for the correction of the water hardness. The water then travels through a network of underground pipes to your tap.

Pleasant View Nursing Home, Inc. management routinely monitors for constituents of your drinking water according to Federal and State laws. The results in this report are for the period of January 1st to December 31st 2008.

We are pleased to report that our drinking water is safe and meets all Federal and State requirements.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

The water system is operated by **Mr. Andrew Jackson**, Maintenance supervisor, under the direct supervision of Mr. Joseph D. Magee. We want our valued residents to be informed about their water utility. If you want to learn more, please contact Mr. Andrew Jackson at 301-829-0800 so that he may schedule an appointment to further describe our system and operations to you.

RECEIVED
JUN 2009
WATER SUP
PROGRAM

The EPA is reviewing the drinking water standard for arsenic because of special concerns that it may not be stringent enough. Arsenic is a naturally occurring mineral known to cause cancer in humans at high concentrations.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than those at the other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using the tap water. Additional information is available from the Safe Drinking Water Hotline at 1-800-426-4791.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemical and radioactive substances. All drinking water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Water Hotline at 1-800-426-4791

Total Coliform: The Total Coliform Rule requires water systems to meet a stricter limit for coliform bacterial. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If this limit is exceeded, the water supplier must notify the public by newspaper, television or radio. To comply with the more strict regulation, we have increased the average amount of chlorine in the distribution system.

Nitrates: As a precaution we always notify physicians and health care providers in this area if there is a higher than normal level of nitrates in the water supply.

Lead: Lead in drinking water is rarely the sole cause of lead poisoning, but it can add to a person's total lead exposure. All potential sources of lead in the household should be identified and removed, replaced or reduced.

Please call our office if you have any questions.

We ask that all our residents help us protect our water sources, which are the heart of our community, our way of life and our children's future.

RECEIVED
JUN 2008
WATER SUPPLY
PROGRAM

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in $10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in $10,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/l) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in $10,000,000,000.

Parts per quadrillion (ppq) or Picograms per liter (picograms/l) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in $10,000,000,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - million fibers per liter is a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - (mandatory language) A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - (mandatory language) The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - (mandatory language) The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

RECEIVED
JUN 2009
WATER SUPPLY
PROGRAM

Test results were provided by Joe Magee, Maryland Licensed Water Operator #611

TEST RESULTS

Contaminant	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Microbiological Contaminants						
1. Total Coliform Bacteria	N	absent		0	presence of coliform bacteria in 5% of monthly samples	Naturally present in the environment
2. Fecal coliform and *E.coli*	N	absent		0	a routine sample and repeat sample are total coliform positive, and one is also fecal coliform or *E. coli* positive	Human and animal fecal waste
3. Turbidity		N/A		n/a	TT	Soil runoff
Radioactive Contaminants						
4. Beta/photon emitters			mrem/yr	0	4	Decay of natural and man-made deposits
5. Alpha emitters			pCi/1	0	15	Erosion of natural deposits
6. Combined radium			pCi/1	0	5	Erosion of natural deposits
Inorganic Contaminants						
7. Antimony	N	Non - detect	ppb	6	6	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
8. Arsenic	N	Non-detect	ppb	n/a	50	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
9. Asbestos	N	Waiver	MFL	7	7	Decay of asbestos cement water mains; erosion of natural deposits
10. Barium	N	Non-detect	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
11. Beryllium	N	Non-detect	ppb	4	4	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries
12. Cadmium	N	Non-detect	ppb	5	5	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints
13. Chromium	N	Non-detect	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	Non-detect	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15. Cyanide	N	Waiver	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories

RECEIVED
JUN 2009
WATER SUPPLY
PROGRAM

16. Fluoride	N	Non-detect	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	Non-detect	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
18. Mercury (inorganic)	N	Non-detect	ppb	2	2	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland
19. Nitrate (as Nitrogen)	N	3.4	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
20. Nitrite (as Nitrogen)	N	waiver	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
21. Selenium	N	Non-detect	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
22. Thallium	N	Non-detect	ppb	0.5	2	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories

Synthetic Organic Contaminants including Pesticides and Herbicides

23. 2,4-D	N	waiver	ppb	70	70	Runoff from herbicide used on row crops
24. 2,4,5-TP (Silvex)	N	waiver	ppb	50	50	Residue of banned herbicide
25. Acrylamide	N	waiver		0	TT	Added to water during sewage/wastewater treatment
26. Alachlor	N	waiver	ppb	0	2	Runoff from herbicide used on row crops
27. Atrazine	N	waiver	ppb	3	3	Runoff from herbicide used on row crops
28. Benzo(a)pyrene (PAH)	N	waiver	nanograms/l	0	200	Leaching from linings of water storage tanks and distribution lines
29. Carbofuran	N	waiver	ppb	40	40	Leaching of soil fumigant used on rice and alfalfa
30. Chlordane	N	waiver	ppb	0	2	Residue of banned termiticide
31. Dalapon	N	waiver	ppb	200	200	Runoff from herbicide used on rights of way
32. Di(2-ethylhexyl) adipate	N	waiver	ppb	400	400	Discharge from chemical factories
33. Di(2-ethylhexyl) phthalate	N	waiver	ppb	0	6	Discharge from rubber and chemical factories
34. Dibromochloropropane	N	waiver	nanograms/l	0	200	Runoff/leaching from soil fumigant used on soybeans, cotton, pineapples, and orchards
35. Dinoseb	N	waiver	ppb	7	7	Runoff from herbicide used on soybeans and vegetables
36. Diquat	N	waiver	ppb	20	20	Runoff from herbicide use
37. Dioxin [2,3,7,8-TCDD]	N	waiver	picograms/l	0	30	Emissions from waste incineration and other combustion; discharge from chemical factories
38. Endothall	N	waiver	ppb	100	100	Runoff from herbicide use
39. Endrin	N	waiver	ppb	2	2	Residue of banned insecticide
40. Epichlorohydrin	N	waiver		0	TT	Discharge from industrial chemical factories; an impurity of some water treatment chemicals
41. Ethylene dibromide	N	waiver	nanograms/l	0	50	Discharge from petroleum refineries

RECEIVED JUN 2008 WATER SUPPLY PROGRAM

42. Glyphosate	N	waiver	ppb	700	700	Runoff from herbicide use
43. Heptachlor	N	waiver	nanograms/ 1	0	400	Residue of banned termiticide
44. Heptachlor epoxide	N	waiver	nanograms/ 1	0	200	Breakdown of heptachlor
45. Hexachlorobenzene	N	waiver	ppb	0	1	Discharge from metal refineries and agricultural chemical factories
46. Hexachlorocyclo-pentadiene	N	waiver	ppb	50	50	Discharge from chemical factories
47. Lindane	N	waiver	nanograms/ 1	200	200	Runoff/leaching from insecticide used on cattle, lumber, gardens
48. Methoxychlor	N	waiver	ppb	40	40	Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, livestock
49. Oxamyl [Vydate]	N	waiver	ppb	200	200	Runoff/leaching from insecticide used on apples, potatoes and tomatoes
50. PCBs [Polychlorinated biphenyls]	N	waiver	nanograms/ 1	0	500	Runoff from landfills; discharge of waste chemicals
51. Pentachlorophenol	N	waiver	ppb	0	1	Discharge from wood preserving factories
52. Picloram	N	waiver	ppb	500	500	Herbicide runoff
53. Simazine	N	waiver	ppb	4	4	Herbicide runoff
54. Toxaphene	N	waiver	ppb	0	3	Runoff/leaching from insecticide used on cotton and cattle

Volatile Organic Cnontaminants

55. Benzene	Nn	Non-Detect	ppb	0	5	Discharge from factories; leaching from gas storage tanks and landfills
56. Carbon tetrachloride	N	Non-Detect	ppb	0	5	Discharge from chemical plants and other industrial activities
57. Chlorobenzene	N	Non-Detect	ppb	100	100	Discharge from chemical and agricultural chemical factories
58. o-Dichlorobenzene	N	Non-Detect	ppb	600	600	Discharge from industrial chemical factories
59. p-Dichlorobenzene	N	Non-Detect	ppb	75	75	Discharge from industrial chemical factories
60. 1,2 - Dichloroethane	N	Non-Detect	ppb	0	5	Discharge from industrial chemical factories
61. 1,1 - Dichloroethylene	N	Non-Detect	ppb	7	7	Discharge from industrial chemical factories
62. cis-1,2-ichloroethylene	N	Non-Detect	ppb	70	70	Discharge from industrial chemical factories
63. trans - 1,2 - Dichloroethylene	N	Non-Detect	ppb	100	100	Discharge from industrial chemical factories
64. Dichloromethane	N	Non-Detect	ppb	0	5	Discharge from pharmaceutical and chemical factories
65. 1,2-Dichloropropane	N	Non-Detect	ppb	0	5	Discharge from industrial chemical factories
66. Ethylbenzene	N	Non-Detect	ppb	700	700	Discharge from petroleum refineries
67. Styrene	N	Non-Detect	ppb	100	100	Discharge from rubber and plastic factories; leaching from landfills

RECEIVED JUN 20 WATER SUPPLY PROGRAM

68. Tetrachloroethylene	N	Non-Detect	ppb	0	5	Leaching from PVC pipes; discharge from factories and dry cleaners
69. 1,2,4 - Trichlorobenzene	N	Non-Detect	ppb	70	70	Discharge from textile-finishing factories
70. 1,1,1 - Trichloroethane	N	Non-Detect	ppb	200	200	Discharge from metal degreasing sites and other factories
71. 1,1,2 -Trichloroethane	N	Non-Detect	ppb	3	5	Discharge from industrial chemical factories
72. Trichloroethylene	N	Non-Detect	ppb	0	5	Discharge from metal degreasing sites and other factories
73. TTHM [Total trihalomethanes]	N	N/A	ppb	0	100	By-product of drinking water chlorination
74. Toluene	N	Non-Detect	ppm	1	1	Discharge from petroleum factories
75. Vinyl Chloride	N	Non-Detect	ppb	0	2	Leaching from PVC piping; discharge from plastics factories
76. Xylenes	N	Non-Detect	ppm	10	10	Discharge from petroleum factories; discharge from chemical factories

Microbiological Contaminants:
(1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.
(2) Fecal coliform/E.Coli. Fecal coliforms and E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, and people with severely compromised immune systems.
(3) Turbidity. Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.
Radioactive Contaminants:
(4) Beta/photon emitters. Certain minerals are radioactive and may emit forms of radiation known as photons and beta radiation. Some people who drink water containing beta and photon emitters in excess of the MCL over many years may have an increased risk of getting cancer.
(5) Alpha emitters. Certain minerals are radioactive and may emit a form of radiation known as alpha radiation. Some people who drink water containing alpha emitters in excess of the MCL over many years may have an increased risk of getting cancer.
(6) Combined Radium 226/228. Some people who drink water containing radium 226 or 228 in excess of the MCL over many years may have an increased risk of getting cancer.
Inorganic Contaminants:
(7) Antimony. Some people who drink water containing antimony well in excess of the MCL over many years could experience increases in blood cholesterol and decreases in blood sugar.
(8) Arsenic. Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.
(9) Asbestos. Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing benign intestinal polyps.
(10) Barium. Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their blood pressure.
(11) Beryllium. Some people who drink water containing beryllium well in excess of the MCL over many years could develop intestinal lesions.
(12) Cadmium. Some people who drink water containing cadmium in excess of the MCL over many years could experience kidney damage.
(13) Chromium. Some people who use water containing chromium well in excess of the MCL over many years could experience allergic dermatitis.
(14) Copper. Copper is an essential nutrient, but some people who drink water containing copper in excess of the

RECEIVED JUN 2006 WATER SUPPLY PROGRAM

action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.
(15) Cyanide. Some people who drink water containing cyanide well in excess of the MCL over many years could experience nerve damage or problems with their thyroid.
(16) Fluoride. Some people who drink water containing fluoride in excess of the MCL over many years could get bone disease, including pain and tenderness of the bones. Children may get mottled teeth.
(17) Lead. Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.
(18) Mercury (inorganic). Some people who drink water containing inorganic mercury well in excess of the MCL over many years could experience kidney damage.
(19) Nitrate. Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue-baby syndrome.
(20) Nitrite. Infants below the age of six months who drink water containing nitrite in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue-baby syndrome.
(21) Selenium. Selenium is an essential nutrient. However, some people who drink water containing selenium in excess of the MCL over many years could experience hair or fingernail losses, numbness in fingers or toes, or problems with their circulation.
(22) Thallium. Some people who drink water containing thallium in excess of the MCL over many years could experience hair loss, changes in their blood, or problems with their kidneys, intestines, or liver.
Synthetic organic contaminants including pesticides and herbicides:
(23) 2,4-D. Some people who drink water containing the weed killer 2,4-D well in excess of the MCL over many years could experience problems with their kidneys, liver, or adrenal glands.
(24) 2,4,5-TP (Silvex). Some people who drink water containing silvex in excess of the MCL over many years could experience liver problems.
(25) Acrylamide. Some people who drink water containing high levels of acrylamide over a long period of time could have problems with their nervous system or blood, and may have an increased risk of getting cancer.
(26) Alachlor. Some people who drink water containing alachlor in excess of the MCL over many years could have problems with their eyes, liver, kidneys, or spleen, or experience anemia, and may have an increased risk of getting cancer.
(27) Atrazine. Some people who drink water containing atrazine well in excess of the MCL over many years could experience problems with their cardiovascular system or reproductive difficulties.
(28) Benzo(a)pyrene [PAH]. Some people who drink water containing benzo(a)pyrene in excess of the MCL over many years may experience reproductive difficulties and may have an increased risk of getting cancer.
(29) Carbofuran. Some people who drink water containing carbofuran in excess of the MCL over many years could experience problems with their blood, or nervous or reproductive systems.
(30) Chlordane. Some people who drink water containing chlordane in excess of the MCL over many years could experience problems with their liver or nervous system, and may have an increased risk of getting cancer.
(31) Dalapon. Some people who drink water containing dalapon well in excess of the MCL over many years could experience minor kidney changes.
(32) Di (2-ethylhexyl) adipate. Some people who drink water containing di (2-ethylhexyl) adipate well in excess of the MCL over many years could experience general toxic effects or reproductive difficulties.
(33) Di (2-ethylhexyl) phthalate. Some people who drink water containing di (2-ethylhexyl) phthalate in excess of the MCL over many years may have problems with their liver, or experience reproductive difficulties, and may have an increased risk of getting cancer.
(34) Dibromochloropropane (DBCP). Some people who drink water containing DBCP in excess of the MCL over many years could experience reproductive difficulties and may have an increased risk of getting cancer.
(35) Dinoseb. Some people who drink water containing dinoseb well in excess of the MCL over many years could experience reproductive difficulties.
(36) Dioxin (2,3,7,8-TCDD). Some people who drink water containing dioxin in excess of the MCL over many years could experience reproductive difficulties and may have an increased risk of getting cancer.
(37) Diquat. Some people who drink water containing diquat in excess of the MCL over many years could get cataracts.
(38) Endothall. Some people who drink water containing endothall in excess of the MCL over many years could experience problems with their stomach or intestines.
(39) Endrin. Some people who drink water containing endrin in excess of the MCL over many years could experience liver problems.
(40) Epichlorohydrin. Some people who drink water containing high levels of epichlorohydrin over a long period of time could experience stomach problems, and may have an increased risk of getting cancer.

RECEIVED
JUN 2006
WATER SUPPLY
PROGRAM

(41) Ethylene dibromide. Some people who drink water containing ethylene dibromide in excess of the MCL over many years could experience problems with their liver, stomach, reproductive system, or kidneys, and may have an increased risk of getting cancer.
(42) Glyphosate. Some people who drink water containing glyphosate in excess of the MCL over many years could experience problems with their kidneys or reproductive difficulties.
(43) Heptachlor. Some people who drink water containing heptachlor in excess of the MCL over many years could experience liver damage and may have an increased risk of getting cancer.
(44) Heptachlor epoxide. Some people who drink water containing heptachlor epoxide in excess of the MCL over many years could experience liver damage, and may have an increased risk of getting cancer.
(45) Hexachlorobenzene. Some people who drink water containing hexachlorobenzene in excess of the MCL over many years could experience problems with their liver or kidneys, or adverse reproductive effects, and may have an increased risk of getting cancer.
(46) Hexachlorocyclopentadiene. Some people who drink water containing hexachlorocyclopentadiene well in excess of the MCL over many years could experience problems with their kidneys or stomach.
(47) Lindane. Some people who drink water containing lindane in excess of the MCL over many years could experience problems with their kidneys or liver.
(48) Methoxychlor. Some people who drink water containing methoxychlor in excess of the MCL over many years could experience reproductive difficulties.
(49) Oxamyl [Vydate]. Some people who drink water containing oxamyl in excess of the MCL over many years could experience slight nervous system effects.
(50) PCBs [Polychlorinated biphenyls]. Some people who drink water containing PCBs in excess of the MCL over many years could experience changes in their skin, problems with their thymus gland, immune deficiencies, or reproductive or nervous system difficulties, and may have an increased risk of getting cancer.
(51) Pentachlorophenol. Some people who drink water containing pentachlorophenol in excess of the MCL over many years could experience problems with their liver or kidneys, and may have an increased risk of getting cancer.
(52) Picloram. Some people who drink water containing picloram in excess of the MCL over many years could experience problems with their liver.
(53) Simazine. Some people who drink water containing simazine in excess of the MCL over many years could experience problems with their blood.
(54) Toxaphene. Some people who drink water containing toxaphene in excess of the MCL over many years could have problems with their kidneys, liver, or thyroid, and may have an increased risk of getting cancer.
Volatile Organic Contaminants:
(55) Benzene. Some people who drink water containing benzene in excess of the MCL over many years could experience anemia or a decrease in blood platelets, and may have an increased risk of getting cancer.
(56) Carbon Tetrachloride. Some people who drink water containing carbon tetrachloride in excess of the MCL over many years could experience problems with their liver and may have an increased risk of getting cancer.
(57) Chlorobenzene. Some people who drink water containing chlorobenzene in excess of the MCL over many years could experience problems with their liver or kidneys.
(58) o-Dichlorobenzene. Some people who drink water containing o-dichlorobenzene well in excess of the MCL over many years could experience problems with their liver, kidneys, or circulatory systems.
(59) p-Dichlorobenzene. Some people who drink water containing p-dichlorobenzene in excess of the MCL over many years could experience anemia, damage to their liver, kidneys, or spleen, or changes in their blood.
(60) 1,2-Dichloroethane. Some people who drink water containing 1,2-dichloroethane in excess of the MCL over many years may have an increased risk of getting cancer.
(61) 1,1-Dichloroethylene. Some people who drink water containing 1,1-dichloroethylene in excess of the MCL over many years could experience problems with their liver.
(62) cis-1,2-Dichloroethylene. Some people who drink water containing cis-1,2-dichloroethylene in excess of the MCL over many years could experience problems with their liver.
(63) trans-1,2-Dicholoroethylene. Some people who drink water containing trans-1,2-dichloroethylene well in excess of the MCL over many years could experience problems with their liver.
(64) Dichloromethane. Some people who drink water containing dichloromethane in excess of the MCL over many years could have liver problems and may have an increased risk of getting cancer.
(65) 1,2-Dichloropropane. Some people who drink water containing 1,2-dichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.
(66) Ethylbenzene. Some people who drink water containing ethylbenzene well in excess of the MCL over many years could experience problems with their liver or kidneys.
(67) Styrene. Some people who drink water containing styrene well in excess of the MCL over many years could have problems with their liver, kidneys, or circulatory system.
(68) Tetrachloroethylene. Some people who drink water containing tetrachloroethylene in excess of the MCL over many years could have problems with their liver, and may have an increased risk of getting cancer.

RECEIVED
JUN 2009
WATER SUPPLY
PROGRAM

(69) 1,2,4-Trichlorobenzene. Some people who drink water containing 1,2,4-trichlorobenzene well in excess of the MCL over many years could experience changes in their adrenal glands.
(70) 1,1,1,-Trichloroethane. Some people who drink water containing 1,1,1-trichloroethane in excess of the MCL over many years could experience problems with their liver, nervous system, or circulatory system.
(71) 1,1,2-Trichloroethane. Some people who drink water containing 1,1,2-trichloroethane well in excess of the MCL over many years could have problems with their liver, kidneys, or immune systems.
(72) Trichloroethylene. Some people who drink water containing trichloroethylene in excess of the MCL over many years could experience problems with their liver and may have an increased risk of getting cancer.
(73) TTHMs [Total Trihalomethanes]. Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.
(74) Toluene. Some people who drink water containing toluene well in excess of the MCL over many years could have problems with their nervous system, kidneys, or liver.

(75) Vinyl Chloride. Some people who drink water containing vinyl chloride in excess of the MCL over many years may have an increased risk of getting cancer.
(76) Xylenes. Some people who drink water containing xylenes in excess of the MCL over many years could experience damage to their nervous system.

RECEIVED
JUN 2009
WATER SUPPLY
PROGRAM