KLEINFELDER
Bright People. Right Solutions.

FEDERAL EXPRESS: 7963 5376 9308

October 20, 2010

Mr. Chad Widney
Maryland Department of the Environment (MDE)
Oil Control Program
1800 Washington Boulevard
Baltimore, MD 21230

RE: Third Quarter 2010 Groundwater Monitoring Report
Former Mobil Facility #16G1R
285 Old Bayview Road
North East, Cecil County, Maryland
MDE Case No. 1986-1205-CE

Dear Mr. Widney:

Kleinfelder, on behalf of Exxon Mobil Environmental Services Company on behalf of Exxon Mobil Corporation (ExxonMobil), is pleased to submit the Groundwater Monitoring Report (GMR) for activities performed during the Third Quarter 2010 at the above referenced facility.

Please contact Natalie Morales Hendricks of Kleinfelder at (410) 689-0814 if you have any questions regarding the information contained herein.

Sincerely yours,
Kleinfelder East, Inc.

Jeanine K. Mohammed

Jeanine Mohammed
Project Engineer

Natalie M. Hendricks

Natalie Morales Hendricks
Senior Project Scientist

cc: Ms. Jewel Cox – Exxon Mobil Corporation (File)

KLEINFELDER
Bright People. Right Solutions.

THIRD QUARTER 2010
GROUNDWATER MONITORING REPORT

Former Mobil Facility #16G1R
285 Old Bayview Road
North East, Cecil County, Maryland

REGULATORY INFORMATION

Regulatory Agency:	Maryland Department of the Environment (MDE)
MDE Case No.	1986-1205-CE
Agency Contact:	Mr. Chad Widney
Current Case Status:	Quarterly groundwater sampling and reporting; quarterly sampling of the Point of Entry Treatment (POET) at 259 Old Bayview Road and the potable well at 261 Old Bayview Road.
Reporting Period:	July 1 through September 30, 2010
Last Report:	Second Quarter 2010 Groundwater Monitoring Report, July 2010

GENERAL SITE INFORMATION

ExxonMobil Contact:	Ms. Jewel G. Cox
Consultant Contact:	Ms. Natalie Morales Hendricks
Facility Status:	Former Mobil Service Station currently operated as an automotive repair facility (UST system removed) by current property owner, Curtis Abrams.
Area Property Use:	See Potable Well Area Map **(Figure 1)**
Monitoring Wells:	MW-1A, MW-2A, MW-3A, MW-5A, MW-8, MW-10, MW-11, MW-12, MW-13, MW-14, MW-15, and MW-16
Site Geology:	Micaceous clay and silt with sand and gravel
Groundwater Flow Direction:	Southwest

ACTIVITIES COMPLETED THIS PERIOD

July 22, 2010 – Groundwater Gauging/Sampling

Wells Gauged/Sampled:	MW-1A, MW-2A, MW-3A, MW-5A, MW-8, MW-10, MW-11, MW-12, MW-13, MW-14, MW-15, MW-16
Liquid Phase Hydrocarbon Thickness:	None detected
Minimum/Maximum Depth to Water:	2.65 feet (MW-8) / 15.94 feet (MW-14)
Hydraulic Gradient:	0.16 feet/foot (MW-2A to MW-14)
Groundwater Flow Direction:	Southwest

Groundwater samples were collected from wells MW-1A, MW-2A, MW-3A, MW-5A, MW-8, MW-10, MW-11, MW-12, MW-13, MW-14, MW-15 and MW-16 on July 22, 2010. Samples were submitted to Accutest Laboratories of Dayton, New Jersey for analysis of full list volatile organic compounds (VOCs) and fuel oxygenates using EPA Method 8260B. Monitoring well gauging and sampling data are summarized in **Table 1** and depicted on **Figure 2**. The Accutest Laboratories Technical Report is attached as **Appendix A**.

July 22, 2010 – Potable Well Sampling

The potable well and POET system at 259 Old Bayview Road, and the potable well at 261 Old Bayview Road were sampled on July 22, 2010. Results are summarized in **Table 2** and were submitted to the MDE under separate cover.

ACTIVITIES PLANNED FOR FOURTH QUARTER 2010/SITE STATUS UPDATE

Activities planned for the fourth quarter of 2010 include one round of groundwater sampling on all monitoring wells for analysis of full list VOCs and fuel oxygenates via EPA Method 8260B. The POET system located at 259 Old Bayview Road and the private supply well located at 261 Old Bayview Road will also be sampled and analyzed for full list VOCs and fuel oxygenates using EPA Method 524.2. Quarterly groundwater and potable well sampling will continue per the current MDE-approved sampling schedule.

Copyright 2010 Kleinfelder

LIMITATIONS

Kleinfelder performed the services for this project under the Standard Procurement Agreement with Procurement, a division of ExxonMobil Global Services Company (signed on June 21, 2007). Kleinfelder states that the services performed are consistent with professional standard of care defined as that level of services provided by similar professionals under like circumstances.

This report is based on the regulatory standards in effect on the date of the report. It has been produced for the primary benefit of Exxon Mobil Global Services Company and its affiliates.

FIGURES AND TABLES:

Figure 1: Potable Well Area Map
Figure 2: Hydrocarbon Distribution/Groundwater Contour Map (July 22, 2010)

Table 1: Groundwater Monitoring & Analytical Data
Table 2: Potable Well Monitoring & Analytical Data

APPENDICES:

Appendix A: Accutest Laboratories Technical Reports - Groundwater Samples (July 22, 2010)

Prepared By:
Kleinfelder East, Inc.

Jeanine K. Mohammed

Jeanine Mohammed
Project Engineer

Natalie M Hendricks

Natalie Morales Hendricks
Senior Project Scientist

Copyright 2010 Kleinfelder

FIGURES

The Information Included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. KleinFelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such Information. This document is not Intended for use as a land survey product nor Is It designed or Intended as a construction design document. The use or misuse of the Information contained on this graphic representation Is at the sole risk of the party using or misusing the information.

KLEINFELDER
Bright People. Right Solutions.
www.kleinfelder.com

PROJECT NO.	100621
DRAWN:	01/16/09
DRAWN BY:	AJP
CHECKED BY:	NM
FILE NAME:	16-G1R Area Map.dwg

POTABLE WELL AREA MAP

FORMER MOBIL SERVICE STATION # 16G1R
285 OLD BAYVIEW ROAD
NORTH EAST, MARYLAND
CECIL COUNTY

FIGURE
1

G:\Projects\0104607\CADD\16-G1R Area Map.dwg

HANOVER, MD



MW-2A
92.00
544
865
1590
5010
430
ND(250)
ND(50)
ND(50)
54.8
262

MW-1A
90.91
197
2900
1340
4780
108
ND (630)
ND (130)
ND (130)
31.4 J
225

MW-12
84.10
ND(1.0)
1.1
1.3
5.0
53.0
ND(25)
ND(5.0)
ND(5.0)
13.1
ND(5.0)

MW-8
94.39
ND(1.0)
ND(1.0)
ND(1.0)
ND(1.0)
0.62 J
ND(25)
ND(5.0)
ND(5.0)
ND(5.0)
ND(5.0)

MW-5A
91.15
45.6
306
1030
3600
ND(10)
ND(250)
ND(50)
ND(50)
ND(50)
239

MW-16
81.81
ND (1.0)
ND (1.0)
ND (1.0)
ND (1.0)
ND (1.0)
ND (25)
ND (5.0)
ND (5.0)
ND (5.0)
ND (5.0)

MW-13	MW-11	MW-14	MW-10	MW-15	MW-3A
79.61	87.33	77.16	88.94	82.09	94.14
ND(1.0)	78.7	118	ND(1.0)	ND(1.0)	ND(1.0)
ND(1.0)	64.2	0.61 J	0.58 J	ND(1.0)	ND(1.0)
ND(1.0)	884	0.90 J	0.61 J	ND(1.0)	ND(1.0)
ND(1.0)	1210	20.4	2.0	ND(1.0)	ND(1.0)
ND(1.0)	206	109	1.6	ND(1.0)	10.2
ND(25)	ND(63)	100	ND(25)	ND(25)	ND(25)
ND(5.0)	ND(13)	1.9 J	ND(5.0)	ND(5.0)	ND(5.0)
ND(5.0)	ND(13)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
ND(5.0)	17.4	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
ND(5.0)	213	28.8	ND(5.0)	ND(5.0)	ND(5.0)

The Information Included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. KleinFelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the Information.

KLEINFELDER
Bright People. Right Solutions.
www.kleinfelder.com

PROJECT NO.	108362
DRAWN:	09/03/10
DRAWN BY:	AJP
CHECKED BY:	CL
FILE NAME:	16-GIR GMR 010208.dwg

HYDROCARBON DISTRIBUTION/ GROUNDWATER CONTOUR MAP JULY 22, 2010

FORMER MOBIL FACILITY # 16-G1R
285 OLD BAY VIEW ROAD
NORTH EAST, MARYLAND
CECIL COUNTY

FIGURE
2

G:_CADD NEW JERSEY\16G1R\16-GIR GMR 010208.dwg

HANOVER, MD

TABLES

Table 1

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	**Date**	**Top of Casing Elevation (feet)**	**Depth to Water (feet)**	**Depth to Hydro-carbon (feet)**	**Hydro-carbon Thickness (feet)**	**Corrected GW Elevation (feet)**	**Benzene (µg/L)**	**Toluene (µg/L)**	**Ethyl-benzene (µg/L)**	**Total Xylenes (µg/L)**	**Total BTEX (µg/L)**	**MTBE (µg/L)**	**TBA (µg/L)**	**DIPE (µg/L)**	**ETBE (µg/L)**	**TAME (µg/L)**	**Naph-thalene (µg/L)**	**Comments**
MW-1A	06/01/2005	97.65	5.23	ND	ND	92.42	560	5770	2360	8970	17660	156	ND(500)	NA	NA	NA	NA	
	12/07/2005	97.65	6.77	ND	ND	90.88	252	2410	2560	7500	12722	149	ND(500)	NA	NA	NA	NA	
	05/24/2006	97.65	6.82	ND	ND	90.83	97.7	1260	1720	4870	7948	114	ND(500)	NA	NA	NA	NA	
	11/07/2006	97.65	5.38	ND	ND	92.27	116	703	1130	2880	4829	112	92.2 J	NA	NA	NA	NA	
	06/21/2007	97.65	6.15	ND	ND	91.50	145	1750	1020	3220	6135	53.3	ND(250)	NA	NA	NA	NA	
	12/11/2007	97.65	7.02	ND	ND	90.63	212	3730	2380	8180	14502	133	ND(500)	NA	NA	NA	NA	
	03/24/2008	97.65	4.94	ND	ND	92.71	216	3280	2270	7550	13316	510	ND(630)	NA	NA	NA	NA	
	06/29/2008	97.65	6.10	ND	ND	91.55	201	2970	1520	5380	10071	593	ND(500)	ND(100)	ND(100)	ND(100)	378	
	08/14/2008	97.65	7.12	ND	ND	90.53	151	2300	1410	4460	8321	561	ND(500)	ND(100)	ND(100)	59.2 J	345	
	11/20/2008	97.65	7.12	ND	ND	90.53	150	2330	1860	6030	10370	398	ND(630)	ND(130)	ND(130)	58.9 J	497	
	02/11/2009	97.65	5.35	ND	ND	92.30	185	2720	1510	5440	9855	307	ND(500)	ND(100)	ND(100)	ND(100)	375	
	04/21/2009	97.65	5.08	ND	ND	92.57	148	2700	1790	6230	10868	269	ND(630)	ND(130)	ND(130)	44.0 J	402	
	07/31/2009	97.65	6.35	ND	ND	91.30	101	1460	730	2760	5051	151	ND(250)	ND(50)	ND(50)	20.1 J	235	
	10/13/2009	97.65	4.80	ND	ND	92.85	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	97.65	5.25	ND	ND	92.40	62.8	873	1080	2830	4846	143	ND(250)	ND(50)	ND(50)	17.2 J	263	
	01/12/2010	97.65	4.57	ND	ND	93.08	162	2430	1350	4170	8112	139	ND(250)	ND(50)	ND(50)	24.0 J	355	
	04/21/2010	97.65	4.21	ND	ND	93.44	204	3100	1610	5510	10424	117	ND(630)	ND(130)	ND(130)	ND(130)	369	
	07/22/2010	97.65	6.74	ND	ND	90.91	197	2900	1340	4780	9217	108	ND(630)	ND(130)	ND(130)	31.4 J	225	

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-2A	06/01/2005	97.10	4.74	ND	ND	92.36	1740	595	2590	9200	14125	829	ND(500)	NA	NA	NA	NA	
	12/07/2005	97.10	5.65	ND	ND	91.45	1580	2440	2660	9530	16210	670	ND(630)	NA	NA	NA	NA	
	05/24/2006	97.10	5.71	ND	ND	91.39	1570	4950	2790	9990	19300	599	ND(630)	NA	NA	NA	NA	
	11/07/2006	97.10	4.35	ND	ND	92.75	964	3090	2550	8730	15334	413	189 J	NA	NA	NA	NA	
	06/21/2007	97.10	5.26	ND	ND	91.84	456	788	2290	7470	11004	198	ND(250)	NA	NA	NA	NA	
	12/11/2007	97.10	5.77	ND	ND	91.33	216	157	569	1830	2772	86.4	30.0 J	NA	NA	NA	NA	
	03/24/2008	97.10	4.73	ND	ND	92.37	747	529	1900	3920	7096	568	256 J	NA	NA	NA	NA	
	06/29/2008	97.10	5.66	ND	ND	91.44	379	4610	2160	8620	15769	457	ND(630)	ND(130)	ND(130)	ND(130)	462	
	08/14/2008	97.10	5.57	ND	ND	91.53	489	4240	3310	8760	16799	531	ND(630)	ND(130)	ND(130)	46.4 J	652	
	11/20/2008	97.10	5.64	5.63	0.01	91.47	817	308	1770	5450	8345	624	ND(250)	ND(50)	ND(50)	55.6	405	
	02/11/2009	97.10	4.90	ND	ND	92.20	567	1220	1330	4140	7257	680	215 J	ND(50)	ND(50)	51.6	306	
	04/21/2009	97.10	1.82	ND	ND	95.28	452	4520	1860	7870	14702	516	ND(630)	ND(130)	ND(130)	64.0 J	299	
	07/31/2009	97.10	5.37	ND	ND	91.73	191	1830	1270	4250	7541	341	ND(250)	ND(50)	ND(50)	38.1 J	316	
	10/13/2009	97.10	3.93	ND	ND	93.17	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	97.10	4.51	ND	ND	92.59	266	656	2530	7620	11072	371	ND(500)	ND(100)	ND(100)	48.5 J	360	
	01/12/2010	97.10	4.36	ND	ND	92.74	699	231	2340	4360	7630	532	ND(500)	ND(100)	ND(100)	55.2 J	402	
	04/21/2010	97.10	4.04	ND	ND	93.06	858	1070	1720	2690	6338	538	156 J	ND(50)	ND(50)	43.4 J	325	
	07/22/2010	97.10	5.10	ND	ND	92.00	544	865	1590	5010	8009	430	ND(250)	ND(50)	ND(50)	54.8	262	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-3A	06/01/2005	96.99	2.71	ND	ND	94.28	6.7	17.6	30.8	108	163	19.8	ND(25)	NA	NA	NA	NA	
	12/07/2005	96.99	4.55	ND	ND	92.44	92.0	23.3	99.9	128	343	353	ND(25)	NA	NA	NA	NA	
	05/24/2006	96.99	2.72	ND	ND	94.27	ND(1.0)	1.1	5.7	19.1	25.9	47.1	ND(25)	NA	NA	NA	NA	
	11/07/2006	96.99	2.06	ND	ND	94.93	3.4	15.2	36.6	126	181	ND(1.0)	ND(25)	NA	NA	NA	NA	
	06/21/2007	96.99	2.45	ND	ND	94.54	278	111	325	991	1705	17900	ND(1300)	NA	NA	NA	NA	
	12/11/2007	96.99	2.25	ND	ND	94.74	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	23.2	ND(25)	NA	NA	NA	NA	
	03/24/2008	96.99	2.41	ND	ND	94.58	0.32 J	7.5	14.8	56.6	79.2	0.64 J	ND(25)	NA	NA	NA	NA	
	06/29/2008	96.99	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Not accessible
	08/14/2008	96.99	5.57	ND	ND	91.42	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	3.7	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	11/20/2008	96.99	2.21	ND	ND	94.78	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	0.60 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	96.99	2.75	ND	ND	94.24	28.0	13.7	2.8	5.7	50.2	67.2	26.0	ND(5.0)	ND(5.0)	2.7 J	ND(5.0)	
	04/21/2009	96.99	1.30	ND	ND	95.69	9.6	7.6	1.8	3.9	22.9	37.2	21.2 J	ND(5.0)	ND(5.0)	1.2 J	ND(5.0)	
	07/31/2009	96.99	2.83	ND	ND	94.16	0.25 J	ND(1.0)	ND(1.0)	ND(1.0)	0.25	1.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/13/2009	96.99	2.10	ND	ND	94.89	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	96.99	1.90	ND	ND	95.09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	3.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	01/12/2010	96.99	2.45	ND	ND	94.54	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	18.9	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	96.99	2.26	ND	ND	94.73	23.8	14.2	5.2	8.9	52.1	20.9	7.5 J	ND(5.0)	ND(5.0)	0.98 J	ND(5.0)	
	07/22/2010	96.99	2.85	ND	ND	94.14	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	10.2	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
MW-4	06/01/2005	97.26	2.55	ND	ND	94.71	6.9	3.8	4.7	10.8	26.2	13.8	ND(25)	NA	NA	NA	NA	
	12/07/2005	97.26	2.77	ND	ND	94.49	2.9	0.81 J	7.6	5.7	17.0	5.3	ND(25)	NA	NA	NA	NA	
	05/24/2006	97.26	2.82	ND	ND	94.44	0.38 J	4.0	16.9	48.1	69.4	11.8	ND(25)	NA	NA	NA	NA	
	11/07/2006	97.26	2.48	ND	ND	94.78	2.1	2.4	9.3	31.8	45.6	291	ND(25)	NA	NA	NA	NA	
	06/21/2007	97.26	2.73	ND	ND	94.53	22.9	30.8	21.8	81.1	156.6	934	ND(100)	NA	NA	NA	NA	
	12/11/2007	97.26	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Monitoring well destroyed.

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-5A	06/01/2005	95.02	2.40	ND	ND	92.62	132	1360	1670	7270	10432	ND(10)	ND(250)	NA	NA	NA	NA	
	12/07/2005	95.02	3.25	ND	ND	91.77	58.2	230	1130	3420	4838	ND(10)	ND(250)	NA	NA	NA	NA	
	05/24/2006	95.02	3.72	ND	ND	91.30	22.4	144	661	1840	2667	ND(5.0)	ND(130)	NA	NA	NA	NA	
	11/07/2006	95.02	2.09	ND	ND	92.93	136	868	1370	4780	7154	ND(5.0)	ND(130)	NA	NA	NA	NA	
	06/21/2007	95.02	5.35	ND	ND	89.67	49.7	460	929	2750	4189	ND(5.0)	ND(130)	NA	NA	NA	NA	
	12/11/2007	95.02	3.63	ND	ND	91.39	20.1	62.3	831	2520	3433	ND(10)	ND(250)	NA	NA	NA	NA	
	03/24/2008	95.02	2.60	ND	ND	92.42	56.2	306	855	1940	3157	ND(5)	ND(130)	NA	NA	NA	NA	
	06/29/2008	95.02	4.04	ND	ND	90.98	38.5	251	920	3200	4410	ND(10)	ND(250)	ND(50)	ND(50)	ND(50)	246	
	08/14/2008	95.02	4.32	ND	ND	90.70	26.0	139	766	2910	3841	ND(5.0)	ND(130)	ND(25)	ND(25)	ND(25)	242	
	11/20/2008	95.02	2.42	ND	ND	92.60	111	856	1180	4070	6217	ND(20)	ND(500)	ND(100)	ND(100)	ND(100)	362	
	02/11/2009	95.02	2.48	ND	ND	92.54	76.0	900	1170	4510	6656	ND(10)	ND(250)	ND(50)	ND(50)	ND(50)	347	
	04/21/2009	95.02	4.76	ND	ND	90.26	29.9	236	574	1920	2760	ND(5.0)	ND(130)	ND(25)	ND(25)	ND(25)	176	
	07/31/2009	95.02	2.87	ND	ND	92.15	17.3	108	488	1570	2183	ND(5.0)	ND(130)	ND(25)	ND(25)	ND(25)	169	
	10/13/2009	95.02	2.57	ND	ND	92.45	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	95.02	2.06	ND	ND	92.96	41.3	207	876	2800	3924	ND(10)	ND(250)	ND(50)	ND(50)	ND(50)	251	
	01/12/2010	95.02	1.10	ND	ND	93.92	54.6	609	1050	3800	5514	ND(10)	ND(250)	ND(50)	ND(50)	ND(50)	269	
	04/21/2010	95.02	1.44	ND	ND	93.58	89.3	942	1230	4710	6971	ND(5.0)	ND(130)	ND(25)	ND(25)	ND(25)	295	
	07/22/2010	95.02	3.87	ND	ND	91.15	45.6	306	1030	3600	4982	ND(10)	ND(250)	ND(50)	ND(50)	ND(50)	239	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	**Date**	**Top of Casing Elevation (feet)**	**Depth to Water (feet)**	**Depth to Hydro-carbon (feet)**	**Hydro-carbon Thickness (feet)**	**Corrected GW Elevation (feet)**	**Benzene (µg/L)**	**Toluene (µg/L)**	**Ethyl-benzene (µg/L)**	**Total Xylenes (µg/L)**	**Total BTEX (µg/L)**	**MTBE (µg/L)**	**TBA (µg/L)**	**DIPE (µg/L)**	**ETBE (µg/L)**	**TAME (µg/L)**	**Naph-thalene (µg/L)**	**Comments**
MW-8	12/07/2005	97.04	2.56	ND	ND	94.48	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	05/24/2006	97.04	2.61	ND	ND	94.43	ND(1.0)	2.0	10.3	34.1	46.4	24.3	ND(25)	NA	NA	NA	NA	
	11/07/2006	97.04	2.27	ND	ND	94.77	ND(1.0)	4.1	13.9	48.7	66.7	ND(1.0)	ND(25)	NA	NA	NA	NA	
	06/21/2007	97.04	2.53	ND	ND	94.51	104	27.7	130	644	906	8870	ND(500)	NA	NA	NA	NA	
	12/11/2007	97.04	2.28	ND	ND	94.76	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	03/24/2008	97.04	2.46	ND	ND	94.58	ND(1)	0.3 J	0.7 J	1.9	2.9	18.9	ND(25)	NA	NA	NA	NA	
	06/29/2008	97.04	2.92	ND	ND	94.12	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	13.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	08/14/2008	97.04	3.02	ND	ND	94.02	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	1.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	11/20/2008	97.04	2.30	ND	ND	94.74	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	97.04	2.67	ND	ND	94.37	0.34 J	ND(1.0)	ND(1.0)	ND(1.0)	0.34	86.2	13.8 J	ND(5.0)	ND(5.0)	0.84 J	ND(5.0)	
	04/21/2009	97.04	1.90	ND	ND	95.14	0.58 J	ND(1.0)	ND(1.0)	ND(1.0)	0.58	52.3	86.4	ND(5.0)	ND(5.0)	0.95 J	ND(5.0)	
	07/31/2009	97.04	2.55	ND	ND	94.49	0.91 J	9.2	3.3	9.6	23.0	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/13/2009	97.04	3.00	ND	ND	94.04	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	97.04	4.65	ND	ND	92.39	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	01/12/2010	97.04	2.59	ND	ND	94.45	2.2	ND(1.0)	1.3	0.95 J	4.5	71.8	ND(25)	ND(5.0)	ND(5.0)	3.8 J	ND(5.0)	
	04/21/2010	97.04	2.46	ND	ND	94.58	0.28 J	ND(1.0)	ND(1.0)	ND(1.0)	0.28	18.5	20.5 J	ND(5.0)	ND(5.0)	0.71 J	ND(5.0)	
	07/22/2010	97.04	2.65	ND	ND	94.39	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	0.62 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-10	06/01/2005	93.35	3.82	ND	ND	89.53	9	1	3.7	7	21	9.3	ND(25)	NA	NA	NA	NA	
	12/07/2005	93.35	4.51	ND	ND	88.84	24.7	0.38 J	26.8	7.5	59.4	19.6	ND(25)	NA	NA	NA	NA	
	05/24/2006	93.35	4.67	ND	ND	88.68	13.3	0.52 J	5.8	4.0	23.6	45.7	25.3	NA	NA	NA	NA	
	11/07/2006	93.35	4.04	ND	ND	89.31	11.2	38.1	83.9	266	399	164	127	NA	NA	NA	NA	
	06/21/2007	93.35	4.54	ND	ND	88.81	18.9	7.4	20.1	46.1	92.5	42.5	ND(25)	NA	NA	NA	NA	
	12/11/2007	93.35	3.73	ND	ND	89.62	0.85 J	2.6	10.1	27.5	41.1	22.5	ND(25)	NA	NA	NA	NA	
	03/24/2008	93.35	4.10	ND	ND	89.25	0.39 J	3.4	7.9	20.6	32.3	6.7	ND(25)	NA	NA	NA	NA	
	06/29/2008	93.35	4.40	ND	ND	88.95	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	08/14/2008	93.35	4.75	ND	ND	88.60	ND(1.0)	ND(1.0)	ND(1.0)	0.45 J	0.45	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	11/20/2008	93.35	4.56	ND	ND	88.79	3.6	ND(1.0)	2.0	ND(1.0)	5.6	11.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	93.35	4.27	ND	ND	89.08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	3.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2009	93.35	2.72	ND	ND	90.63	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	1.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/31/2009	93.35	4.31	ND	ND	89.04	ND(1.0)	0.65 J	0.30 J	0.69 J	1.64	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/13/2009	93.35	3.87	ND	ND	89.48	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	93.35	3.33	ND	ND	90.02	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	0.40 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	01/12/2010	93.35	3.41	ND	ND	89.94	0.30 J	ND(1.0)	ND(1.0)	ND(1.0)	0.30	2.7	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	93.35	2.94	ND	ND	90.41	ND(1.0)	0.40 J	1.2	4.2	5.8	0.57 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/22/2010	93.35	4.41	ND	ND	88.94	ND(1.0)	0.58 J	0.61 J	2.0	3.2	1.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-11	06/01/2005	96.64	7.84	ND	ND	88.80	461	1410	1690	5380	8941	748	185	NA	NA	NA	NA	
	12/07/2005	96.64	8.48	ND	ND	88.16	504	488	839	2500	4331	614	ND(130)	NA	NA	NA	NA	
	05/24/2006	96.64	8.52	ND	ND	88.12	270	317	729	1920	3236	422	ND(130)	NA	NA	NA	NA	
	11/07/2006	96.64	6.10	ND	ND	90.54	148	117	463	921	1649	206	55.8	NA	NA	NA	NA	
	06/21/2007	96.64	8.16	ND	ND	88.48	102	64.0	341	423	930	185	ND(25)	NA	NA	NA	NA	
	12/11/2007	96.64	9.15	ND	ND	87.49	275	307	833	2060	3475	328	ND(250)	NA	NA	NA	NA	
	03/24/2008	96.64	6.07	ND	ND	90.57	135	117	443	1160	1855	289	69.3 J	NA	NA	NA	NA	
	06/29/2008	96.64	7.96	ND	ND	88.68	14.0	12.4	12.7	159	198	65.4	ND(25)	ND(5.0)	ND(5.0)	4.2 J	19.0	
	08/14/2008	96.64	7.78	ND	ND	88.86	3.0	0.42 J	0.96 J	6.1	10.5	36.7	ND(25)	ND(5.0)	ND(5.0)	0.92 J	2.1 J	
	11/20/2008	96.64	9.18	ND	ND	87.46	131	89.5	738	1570	2529	214	ND(130)	ND(25)	ND(25)	ND(25)	212	
	02/11/2009	96.64	6.87	ND	ND	89.77	65.8	63.1	333	781	1243	149	34.8	ND(5.0)	ND(5.0)	10.7	87.3	
	04/21/2009	96.64	5.68	ND	ND	90.96	60.6	48.9	360	758	1228	142	34.5 J	ND(13)	ND(13)	10.9 J	84.9	
	07/31/2009	96.64	8.45	ND	ND	88.19	60.4	47.0	521	523	1151	169	ND(50)	ND(10)	ND(10)	11.9	118	
	10/13/2009	96.64	6.73	ND	ND	89.91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	96.64	6.23	ND	ND	90.41	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	16.1	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	01/12/2010	96.64	5.22	ND	ND	91.42	8.9	4.5	70.9	95.4	179.7	19.2	ND(25)	ND(5.0)	ND(5.0)	1.4 J	16.0	
	04/21/2010	96.64	4.93	ND	ND	91.71	29.6	11.3	198	241	480	76.1	16.2 J	ND(5.0)	ND(5.0)	4.5 J	51.8	
	07/22/2010	96.64	9.31	ND	ND	87.33	78.7	64.2	884	1210	2237	206	ND(63)	ND(13)	ND(13)	17.4	213	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	**Date**	**Top of Casing Elevation (feet)**	**Depth to Water (feet)**	**Depth to Hydro-carbon (feet)**	**Hydro-carbon Thickness (feet)**	**Corrected GW Elevation (feet)**	**Benzene (µg/L)**	**Toluene (µg/L)**	**Ethyl-benzene (µg/L)**	**Total Xylenes (µg/L)**	**Total BTEX (µg/L)**	**MTBE (µg/L)**	**TBA (µg/L)**	**DIPE (µg/L)**	**ETBE (µg/L)**	**TAME (µg/L)**	**Naph-thalene (µg/L)**	**Comments**
MW-12	06/01/2005	100.00	10.50	ND	ND	89.50	3.6	ND(2)	ND(2)	ND(2)	3.6	283	ND(50)	NA	NA	NA	NA	
	12/07/2005	100.00	12.65	ND	ND	87.35	0.45 J	ND(1.0)	0.72 J	1.3	2.5	135	ND(25)	NA	NA	NA	NA	
	05/24/2006	100.00	13.16	ND	ND	86.84	4.0	25.1	31.7	101	162	198	ND(50)	NA	NA	NA	NA	
	11/07/2006	100.00	8.19	ND	ND	91.81	1.2	7.6	26.9	75.0	110.7	161	ND(25)	NA	NA	NA	NA	
	06/21/2007	100.00	12.97	ND	ND	87.03	1.8	7.3	15.4	48.6	73.1	224	ND(25)	NA	NA	NA	NA	
	12/11/2007	100.00	15.78	ND	ND	84.22	ND(1.0)	0.92 J	16.6	56.3	73.8	25.7	ND(25)	NA	NA	NA	NA	
	03/24/2008	100.00	7.98	ND	ND	92.02	0.84 J	0.38 J	1.3	4.1	6.6	144	11.2 J	NA	NA	NA	NA	
	06/29/2008	100.00	12.35	ND	ND	87.65	0.85 J	ND(1.0)	ND(1.0)	ND(1.0)	0.85	153	9.8 J	ND(5.0)	ND(5.0)	27.4	1.4 J	
	08/14/2008	100.00	13.85	ND	ND	86.15	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	126	ND(25)	ND(5.0)	ND(5.0)	21.6	ND(5.0)	
	11/20/2008	100.00	14.53	ND	ND	85.47	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	56.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	100.00	9.07	ND	ND	90.93	0.31 J	ND(1.0)	0.31 J	0.81 J	1.43	114	ND(25)	ND(5.0)	ND(5.0)	14.3	1.4 J	
	04/21/2009	100.00	8.62	ND	ND	91.38	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	96.7	13.2 J	ND(5.0)	ND(5.0)	16.6	ND(5.0)	
	07/31/2009	100.00	13.86	ND	ND	86.14	ND(1.0)	1.5	0.61 J	1.6	3.7	96.7	ND(25)	ND(5.0)	ND(5.0)	18.0	ND(5.0)	
	10/13/2009	100.00	10.90	ND	ND	89.10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	100.00	8.54	ND	ND	91.46	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	38.8	ND(25)	ND(5.0)	ND(5.0)	4.9 J	ND(5.0)	
	01/12/2010	100.00	7.36	ND	ND	92.64	0.32 J	ND(1.0)	ND(1.0)	ND(1.0)	0.32	90.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	100.00	7.39	ND	ND	92.61	1.4	ND(1.0)	0.86 J	0.64 J	2.9	80.9	9.5 J	ND(5.0)	ND(5.0)	13.2	2.6 J	
	07/22/2010	100.00	15.90	ND	ND	84.10	ND(1.0)	1.1	1.3	5.0	7.4	53.0	ND(25)	ND(5.0)	ND(5.0)	13.1	ND(5.0)	

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-13	06/01/2005	94.38	9.60	ND	ND	84.78	0.99 J	11.7	62.3	225	300	2.2	ND(25)	NA	NA	NA	NA	
	12/07/2005	94.38	10.93	ND	ND	83.45	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	05/24/2006	94.38	12.06	ND	ND	82.32	1.4	16.3	25.5	83.9	127.1	ND(1.0)	ND(25)	NA	NA	NA	NA	
	11/07/2006	94.38	7.87	ND	ND	86.51	ND(1.0)	1.5	7.3	21.2	30.0	ND(1.0)	ND(25)	NA	NA	NA	NA	
	06/21/2007	94.38	11.29	ND	ND	83.09	ND(1.0)	7.0	15.4	48.0	70.4	ND(1.0)	ND(25)	NA	NA	NA	NA	
	12/11/2007	94.38	11.61	ND	ND	82.77	ND(1.0)	0.76 J	10.5	31.0	42.3	ND(1.0)	ND(25)	NA	NA	NA	NA	
	03/24/2008	94.38	7.58	ND	ND	86.80	ND(1)	1.8	21.8	63.7	87.3	2.1	ND(25)	NA	NA	NA	NA	
	06/29/2008	94.38	11.11	ND	ND	83.27	ND(1.0)	ND(1.0)	ND(1.0)	0.91 J	0.91	0.46 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	08/14/2008	94.38	12.62	ND	ND	81.76	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	11/20/2008	94.38	11.97	ND	ND	82.41	ND(1.0)	ND(1.0)	0.56 J	1.3	1.9	0.64 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	94.38	9.52	ND	ND	84.86	ND(1.0)	2.0	25.3	73.5	100.8	3.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	11.8	
	04/21/2009	94.38	3.75	ND	ND	90.63	ND(1.0)	0.45 J	8.0	18.3	26.8	1.7	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	3.2 J	
	07/31/2009	94.38	12.49	ND	ND	81.89	1.2	1.3	2.1	9.3	13.9	5.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	5.3	
	10/13/2009	94.38	10.00	ND	ND	84.38	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/27/2009	94.38	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	01/12/2010	94.38	6.36	ND	ND	88.02	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	94.38	6.55	ND	ND	87.83	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	1.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/22/2010	94.38	14.77	ND	ND	79.61	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-14	06/01/2005	93.10	11.90	ND	ND	81.20	456	51.1	50.8	144	702	102	ND(50)	NA	NA	NA	NA	
	12/07/2005	93.10	11.58	ND	ND	81.52	ND(1.0)	5.3	ND(1.0)	ND(1.0)	5.3	ND(1.0)	ND(25)	NA	NA	NA	NA	
	05/24/2006	93.10	12.88	ND	ND	80.22	66.7	14.8	23.5	86.1	191.1	25.9	23.2 J	NA	NA	NA	NA	
	11/07/2006	93.10	8.87	ND	ND	84.23	62.9	3.1	8.8	35.9	110.7	28.5	24.4 J	NA	NA	NA	NA	
	06/21/2007	93.10	12.69	ND	ND	80.41	580	75.8	87.3	225	968	142	141	NA	NA	NA	NA	
	12/11/2007	93.10	10.25	ND	ND	82.85	ND(1.0)	0.31 J	2.9	9.5	12.7	ND(1.0)	ND(25)	NA	NA	NA	NA	
	03/24/2008	93.10	8.40	ND	ND	84.70	4.7	0.41 J	0.47 J	1	7	5.3	ND(25)	NA	NA	NA	NA	
	06/29/2008	93.10	12.50	ND	ND	80.60	27.0	2.8	1.7	19.8	51.3	32.5	11.3 J	ND(5.0)	ND(5.0)	ND(5.0)	2.9 J	
	08/14/2008	93.10	14.52	ND	ND	78.58	104	0.33 J	1.3	11.5	117	61.7	42.2	0.80 J	ND(5.0)	ND(5.0)	15.9	
	11/20/2008	93.10	12.32	ND	ND	80.78	0.72 J	ND(1.0)	ND(1.0)	ND(1.0)	0.72	2.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	93.10	10.33	ND	ND	82.77	19.8	1.1	1.2	2.7	24.8	18.2	11.3 J	ND(5.0)	ND(5.0)	ND(5.0)	1.5 J	
	04/21/2009	93.10	7.85	ND	ND	85.25	2.0	ND(1.0)	ND(1.0)	ND(1.0)	2.0	3.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/31/2009	93.10	13.09	ND	ND	80.01	109	4.9	1.7	33.1	149	69.6	44.2	1.1 J	ND(5.0)	ND(5.0)	11.2	
	10/13/2009	93.10	11.37	ND	ND	81.73	41.7	4.4	ND(1.0)	7.3	53.4	23.7	17.1 J	0.38 J	ND(5.0)	ND(5.0)	6.0	
	10/27/2009	93.10	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	01/12/2010	93.10	8.54	ND	ND	84.56	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	7.1	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	93.10	5.98	ND	ND	87.12	45.0	10.1	9.0	38.0	102.1	39.6	21.4 J	0.57 J	ND(5.0)	ND(5.0)	10.4	
	07/22/2010	93.10	15.94	ND	ND	77.16	118	0.61 J	0.90 J	20.4	140	109	100	1.9 J	ND(5.0)	ND(5.0)	28.8	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Naph-thalene (µg/L)	Comments
MW-15	06/01/2005	92.40	8.31	ND	ND	84.09	1.6	ND(1.0)	0.87 J	2.3	4.8	ND(1.0)	ND(25)	NA	NA	NA	NA	
	12/07/2005	92.40	6.02	ND	ND	86.38	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	05/24/2006	92.40	8.51	ND	ND	83.89	0.68 J	8.5	15.8	51.7	76.7	ND(1.0)	ND(25)	NA	NA	NA	NA	
	11/07/2006	92.40	5.32	ND	ND	87.08	ND(1.0)	2.7	10.7	31.9	45.3	ND(1.0)	ND(25)	NA	NA	NA	NA	
	06/21/2007	92.40	11.29	ND	ND	81.11	1.8	5.0	11.6	35.5	53.9	ND(1.0)	ND(25)	NA	NA	NA	NA	
	12/11/2007	92.40	7.31	ND	ND	85.09	ND(1.0)	ND(1.0)	1.6	5.3	6.9	ND(1.0)	ND(25)	NA	NA	NA	NA	
	03/24/2008	92.40	5.22	ND	ND	87.18	0.78 J	ND(1)	ND(1)	ND(1)	0.78	ND(1)	ND(25)	NA	NA	NA	NA	
	06/29/2008	92.40	7.79	ND	ND	84.61	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	08/14/2008	92.40	9.00	ND	ND	83.40	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	11/20/2008	92.40	4.84	ND	ND	87.56	1.2	ND(1.0)	ND(1.0)	ND(1.0)	1.2	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	92.40	6.66	ND	ND	85.74	2.3	ND(1.0)	0.63 J	0.65 J	3.6	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	2.0 J	
	04/21/2009	92.40	1.90	ND	ND	90.50	0.60 J	ND(1.0)	ND(1.0)	ND(1.0)	0.60	1.1	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/31/2009	92.40	8.55	ND	ND	83.85	0.55 J	4.7	1.5	4.6	11.4	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/13/2009	92.40	7.90	ND	ND	84.50	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/27/2009	92.40	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	01/12/2010	92.40	5.21	ND	ND	87.19	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	92.40	5.88	ND	ND	86.52	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/22/2010	92.40	10.31	ND	ND	82.09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

		Gauging Data					Analytical Data											
Sample ID	**Date**	**Top of Casing Elevation (feet)**	**Depth to Water (feet)**	**Depth to Hydro-carbon (feet)**	**Hydro-carbon Thickness (feet)**	**Corrected GW Elevation (feet)**	**Benzene (µg/L)**	**Toluene (µg/L)**	**Ethyl-benzene (µg/L)**	**Total Xylenes (µg/L)**	**Total BTEX (µg/L)**	**MTBE (µg/L)**	**TBA (µg/L)**	**DIPE (µg/L)**	**ETBE (µg/L)**	**TAME (µg/L)**	**Naph-thalene (µg/L)**	**Comments**
MW-16	06/01/2005	90.30	7.42	ND	ND	82.88	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	12/07/2005	90.30	6.12	ND	ND	84.18	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	NA	NA	NA	NA	
	05/24/2006	90.30	7.50	ND	ND	82.80	ND(1.0)	2.0	6.0	31.6	39.6	ND(1.0)	ND(25)	NA	NA	NA	NA	
	11/07/2006	90.30	5.16	ND	ND	85.14	0.51 J	4.7	17.8	51.1	74.1	ND(1.0)	ND(25)	NA	NA	NA	NA	
	06/21/2007	90.30	8.50	ND	ND	81.80	ND(1.0)	9.8	19.8	61.8	91.4	ND(1.0)	ND(25)	NA	NA	NA	NA	
	12/11/2007	90.30	5.84	ND	ND	84.46	ND(1.0)	ND(1.0)	1.0	3.3	4.3	ND(1.0)	ND(25)	NA	NA	NA	NA	
	03/24/2008	90.30	5.13	ND	ND	85.17	ND(1)	ND(1)	ND(1)	ND(1)	BRL	ND(1)	ND(25)	NA	NA	NA	NA	
	06/29/2008	90.30	7.19	ND	ND	83.11	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	08/14/2008	90.30	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Well not located, not sampled
	11/20/2008	90.30	9.43	ND	ND	80.87	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	02/11/2009	90.30	6.05	ND	ND	84.25	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2009	90.30	4.15	ND	ND	86.15	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	0.54 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/31/2009	90.30	6.50	ND	ND	83.80	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	10/13/2009	90.30	5.15	ND	ND	85.15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/27/2009	90.30	3.95	ND	ND	86.35	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	01/12/2010	90.30	5.16	ND	ND	85.14	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	04/21/2010	90.30	4.96	ND	ND	85.34	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	
	07/22/2010	90.30	8.49	ND	ND	81.81	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	BRL	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	

Table 1 (Continued)

Groundwater Monitoring & Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
June 1, 2005 through July 22, 2010

Notes:

µg/L - micrograms/liter
BRL - Below laboratory reporting limits
BTEX - Benzene, toluene, ethylbenzene, and total xylenes
DIPE - Di-Isopropyl Ether
ETBE - Ethyl Tertiary Butyl Ether
GW - Groundwater
J - Indicates an estimated valu
MTBE - Methyl Tert Butyl Ether
NA - Not analyzed
ND - Not detected
TBA - Tertiary Butyl Alcohol
ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.
NM - Not monitored
NS - Not sampled
NSVD - Not surveyed to vertical datum
TAME - Tertiary Amyl Methyl Ether

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 2

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
215 Bayview	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.19 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
223 Bayview	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.19	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.29 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.32 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.18 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
233 Bayview	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
237 Bayview	06/23/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	0.11 J	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.50)	BRL	0.11 J	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
243 Bayview	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.18 J	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.18 J	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.070 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
246 Bayview	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.1	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.16 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.13 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
256 Bayview	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	1.00	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.8	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.67	ND(5.0)	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.76	ND(5.0)	NA	NA	NA	ND(0.50)	
259 Bayview	03/30/2005	0.1	0.081	ND(0.50)	ND(0.50)	0.2	15.5	41	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	21.1	68.1	NA	NA	NA	NA	
	08/29/2005	0.18 J	0.30 J	ND(0.50)	0.15 J	0.63	16.8	52.8	NA	NA	NA	ND(0.50)	
	09/26/2005	0.083	ND(0.50)	ND(0.50)	0.213	0.296	16.4	44.3	NA	NA	NA	NA	
	10/25/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	19.3	38.6	NA	NA	NA	NA	
	11/14/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	5.9	16.7	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	19.8	50.0	NA	NA	NA	NA	
	01/20/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	13.3	44.3	NA	NA	NA	ND(0.50)	
	03/03/2006	0.096 J	ND(0.50)	ND(0.50)	ND(0.50)	0.096	16.9	53.6	NA	NA	NA	ND(0.50)	
	04/03/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	17.6	65.3	NA	NA	NA	ND(0.50)	
	05/15/2006	0.087 J	ND(0.50)	ND(0.50)	ND(0.50)	0.087	20.0	58.9	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	18.4	64.5	NA	NA	NA	ND(0.50)	
	07/27/2006	0.083 J	ND(0.50)	ND(0.50)	ND(0.50)	0.083	22.1	73.7	NA	NA	NA	ND(0.50)	
	08/29/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	23.7	98.6	NA	NA	NA	ND(0.50)	
	09/26/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	25.7	73.8	ND(0.50)	ND(0.50)	1.7	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	30.2	93.0	ND(0.50)	ND(0.50)	1.5	ND(0.50)	
	11/30/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	30.9	103	NA	NA	NA	ND(0.50)	
	12/19/2006	0.084 J	ND(0.50)	ND(0.50)	ND(0.50)	0.084	32.5	121	ND(0.50)	ND(0.50)	2.0	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	33.2	128	NA	NA	NA	ND(0.50)	
	02/28/2007	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	38.6	133	NA	NA	NA	ND(0.5)	
	03/15/2007	0.096 J	ND(0.50)	ND(0.50)	ND(0.50)	0.096	33.1	140	0.14 J	ND(0.50)	1.6	ND(0.50)	

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
259 Bayview EFF	03/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/17/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/22/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	09/19/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	4.7 J	NA	NA	NA	ND(0.50)	
	11/29/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	22.4	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.22 J	4.8 J	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.18 J	100	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.15 J	111	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	07/31/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	10.4	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	10/13/2009	ND(0.50)	0.25 J	ND(0.50)	ND(0.50)	0.25	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	01/13/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	07/22/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
259 Bayview INF	03/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	32.2	136	NA	NA	NA	ND(0.50)	
	04/17/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	29.9	104	NA	NA	NA	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	38.0	145	NA	NA	NA	ND(0.50)	
	06/22/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	36.8	133	NA	NA	NA	ND(0.50)	
	09/19/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	39.9	158	NA	NA	NA	ND(0.50)	
	10/23/2007	0.081 J	ND(0.50)	ND(0.50)	ND(0.50)	0.081	39.3	142	NA	NA	NA	ND(0.50)	
	11/29/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	37.6	189	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	35.0	148	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	37.9	105	0.093 J	ND(0.50)	1.4	ND(0.50)	
	09/23/2008	0.087 J	ND(0.50)	ND(0.50)	ND(0.50)	0.087	47.3	149	0.082 J	ND(0.50)	1.2	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	38.2	131	0.11 J	ND(0.50)	1.6	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	35.8	102	ND(0.50)	ND(0.50)	1.3	ND(0.50)	
	04/21/2009	0.079 J	ND(0.50)	ND(0.50)	ND(0.50)	0.079	44.6	121	0.095 J	ND(0.50)	1.5	ND(0.50)	
	07/31/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	34.5	134	0.075 J	ND(0.50)	1.2	ND(0.50)	
	10/13/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	35.6	118	0.11 J	ND(0.50)	1.3	ND(0.50)	
	01/13/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	50.9	173	ND(0.50)	ND(0.50)	1.6	ND(0.50)	
	04/21/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	40.6	105	0.19 J	ND(0.50)	1.5	ND(0.50)	
	07/22/2010	0.083 J	ND(0.50)	ND(0.50)	ND(0.50)	0.083	40.3	123	0.19 J	ND(0.50)	1.4	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
259 Bayview MID	03/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/17/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/22/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	09/19/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	56.3	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	85.5	NA	NA	NA	ND(0.50)	
	11/29/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	156	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.089 J	3.7 J	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	10.0	81.4	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.49 J	119	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	4.3 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	07/31/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	93.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	10/13/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	01/13/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	58.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	20.5	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	07/22/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
261 Bayview	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	1.1	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	1.2	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	1.7	2.6	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	1.6	2.8 J	NA	NA	NA	ND(0.50)	
	01/30/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	2.6	6.4	NA	NA	NA	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	4.6	16.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/09/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	5.0	18.5	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	4.0	12.4	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	5.1	16.0	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	07/31/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	5.9	17.1	ND(0.50)	ND(0.50)	0.34 J	ND(0.50)	
	10/13/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	5.2	18.3	ND(0.50)	ND(0.50)	0.22 J	ND(0.50)	
	01/13/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	6.7	21.8	ND(0.50)	ND(0.50)	0.31 J	ND(0.50)	
	04/21/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	6.4	16.0	ND(0.50)	ND(0.50)	0.34 J	ND(0.50)	
	07/22/2010	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	7.0	21.3	ND(0.50)	ND(0.50)	0.30 J	ND(0.50)	
265 Bayview	06/23/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	0.57	ND(5.0)	NA	NA	NA	NA	
	12/19/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.50)	BRL	0.47	ND(5.0)	NA	NA	NA	NA	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.57	ND(5.0)	NA	NA	NA	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.35 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
280 Bayview EFF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	0.34 J	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/27/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	07/27/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
280 Bayview INF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.27 J	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	0.32 J	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.19 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/27/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.22 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.36 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.24 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.24 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.23 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.17 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	07/27/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.15 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.15 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.15 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.18 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.13 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.14 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	0.052 J	ND(0.50)	ND(0.50)	0.052	0.14 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
280 Bayview MID	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	07/27/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.090 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/20/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.10 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
281 Bayview EFF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/03/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
281 Bayview INF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.5	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	0.64	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.76	ND(5.0)	NA	NA	NA	ND(0.50)	
	04/03/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.57	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.36 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.24 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.74	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.69	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.67	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.70	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.66	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.70	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.66	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.75	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.73	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
281 Bayview MID	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.22 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
285 Bayview EFF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/27/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.31 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph-thalene (µg/L)	Comments
285 Bayview INF	03/30/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.66	ND(5.0)	NA	NA	NA	NA	
	06/23/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.53	ND(5.0)	NA	NA	NA	NA	
	09/26/2005	1.4	ND(0.5)	ND(0.5)	ND(0.5)	1.4	1.0	ND(5)	NA	NA	NA	NA	
	12/19/2005	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.80	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/27/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.36 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/12/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.72	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/31/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.71	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	12/19/2006	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.27 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	03/15/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.71	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
285 Bayview MID	05/31/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	NA	NA	NA	ND(0.50)	
	10/23/2007	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.11 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	03/24/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.17 J	ND(5.0)	NA	NA	NA	ND(0.50)	
	06/30/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.26 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	09/23/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	ND(0.50)	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	11/18/2008	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.20 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	02/11/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.16 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	
	04/21/2009	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	BRL	0.19 J	ND(5.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	

Kleinfelder
1340 Charwood Road, Suite I, Hanover, MD

Table 2 (Continued)

Potable Well Point of Entry Treatment (POET) Analytical Data

Former Mobil #16G1R
285 Old Bayview Road
North East, Maryland
March 30, 2005 through July 22, 2010

Notes:

µg/L - micrograms/liter
BRL - Below laboratory reporting limits
BTEX - Benzene, toluene, ethylbenzene, and total xylenes
DIPE - Di-Isopropyl Ether
ETBE - Ethyl Tertiary Butyl Ether
J - Indicates an esttimated value
TBA - Tertiary Butyl Alcohol
MTBE - Methyl Tert Butyl Ether
NA - Not analyzed
ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.
NS - Not sampled
TAME - Tertiary Amyl Methyl Ether

APPENDIX A
Accutest Laboratories Technical Reports – Groundwater Samples
(July 22, 2010)

New Jersey ACCUTEST Laboratories

IT'S ALL IN THE CHEMISTRY

08/09/10

Technical Report for

ExxonMobil Corporation

GSCMD:16-G1R 285 Old Bay View Road, North East, MD

PO#4512323658 WBS#08

Accutest Job Number: JA52233

Sampling Date: 07/22/10

Report to:

Kleinfelder

avogt@kleinfelder.com

ATTN: Angela Vogt

Total number of pages in report: **47**

ACCUTEST LABORATORIES 50 YEARS 1956-2006

ACCREDITED IN ACCORDANCE WITH nelac

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

David N. Speis
VP Ops, Laboratory Director

Client Service contact: Matt Cordova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Test results relate only to samples analyzed.

Accutest Laboratories is the sole authority for authorizing edits or modifications to this document. Unauthorized modification of this report is strictly prohibited.

Table of Contents

-1-

Section 1: Sample Summary **3**
Section 2: Sample Results **4**
2.1: JA52233-1: MW-10 5
2.2: JA52233-2: MW-11 8
2.3: JA52233-3: MW-12 11
2.4: JA52233-4: MW-13 14
2.5: JA52233-5: MW-14 17
2.6: JA52233-6: MW-15 20
2.7: JA52233-7: MW-16 23
2.8: JA52233-8: MW-1A 26
2.9: JA52233-9: MW-2A 29
2.10: JA52233-10: MW-3A 32
2.11: JA52233-11: MW-5A 35
2.12: JA52233-12: MW-8 38
2.13: JA52233-13: TRIP BLANK 41
Section 3: Misc. Forms **44**
3.1: Chain of Custody 45

Accutest LabLink@11:23 09-Aug-2010

Sample Summary

ExxonMobil Corporation

Job No: JA52233

GSCMD:16-G1R 285 Old Bay View Road, North East, MD
Project No: PO#4512323658 WBS#08

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JA52233-1	07/22/10	13:12	CC	07/23/10	AQ	Ground Water	MW-10
JA52233-2	07/22/10	14:25	CC	07/23/10	AQ	Ground Water	MW-11
JA52233-3	07/22/10	14:30	CC	07/23/10	AQ	Ground Water	MW-12
JA52233-4	07/22/10	12:30	CC	07/23/10	AQ	Ground Water	MW-13
JA52233-5	07/22/10	12:45	CC	07/23/10	AQ	Ground Water	MW-14
JA52233-6	07/22/10	12:25	CC	07/23/10	AQ	Ground Water	MW-15
JA52233-7	07/22/10	12:05	CC	07/23/10	AQ	Ground Water	MW-16
JA52233-8	07/22/10	14:15	CC	07/23/10	AQ	Ground Water	MW-1A
JA52233-9	07/22/10	14:05	CC	07/23/10	AQ	Ground Water	MW-2A
JA52233-10	07/22/10	13:50	CC	07/23/10	AQ	Ground Water	MW-3A
JA52233-11	07/22/10	13:25	CC	07/23/10	AQ	Ground Water	MW-5A
JA52233-12	07/22/10	13:35	CC	07/23/10	AQ	Ground Water	MW-8
JA52233-13	07/22/10	14:30	CC	07/23/10	AQ	Trip Blank Water	TRIP BLANK

Sample Results

Report of Analysis

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-10		
Lab Sample ID:	JA52233-1	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80415.D	1	07/27/10	MAH	n/a	n/a	V1C3516
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-10		
Lab Sample ID:	JA52233-1	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	0.61	1.0	0.27	ug/l	J
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	1.6	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	0.48	5.0	0.24	ug/l	J
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	0.58	1.0	0.30	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	0.73	5.0	0.28	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	1.6	1.0	0.25	ug/l	
95-47-6	o-Xylene	0.42	1.0	0.25	ug/l	J
1330-20-7	Xylene (total)	2.0	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-10		
Lab Sample ID:	JA52233-1	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	77%		64-135%
2037-26-5	Toluene-D8	91%		76-117%
460-00-4	4-Bromofluorobenzene	85%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-11		
Lab Sample ID:	JA52233-2	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80499.D	2.5	07/29/10	MAH	n/a	n/a	V1C3522
Run #2	1C80416.D	10	07/27/10	MAH	n/a	n/a	V1C3516

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	7.2	ug/l	
71-43-2	Benzene	78.7	2.5	0.59	ug/l	
108-86-1	Bromobenzene	ND	13	0.61	ug/l	
74-97-5	Bromochloromethane	ND	13	0.83	ug/l	
75-27-4	Bromodichloromethane	ND	2.5	0.55	ug/l	
75-25-2	Bromoform	ND	10	0.58	ug/l	
74-83-9	Bromomethane	ND	5.0	0.74	ug/l	
78-93-3	2-Butanone (MEK)	ND	25	4.1	ug/l	
104-51-8	n-Butylbenzene	ND	13	1.2	ug/l	
135-98-8	sec-Butylbenzene	3.4	13	0.56	ug/l	J
98-06-6	tert-Butylbenzene	ND	13	0.52	ug/l	
56-23-5	Carbon tetrachloride	ND	2.5	0.64	ug/l	
108-90-7	Chlorobenzene	ND	2.5	0.97	ug/l	
75-00-3	Chloroethane	ND	2.5	0.93	ug/l	
67-66-3	Chloroform	ND	2.5	0.59	ug/l	
74-87-3	Chloromethane	ND	2.5	0.72	ug/l	
95-49-8	o-Chlorotoluene	ND	13	0.77	ug/l	
106-43-4	p-Chlorotoluene	ND	13	0.65	ug/l	
108-20-3	Di-Isopropyl ether	ND	13	0.88	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	25	2.8	ug/l	
124-48-1	Dibromochloromethane	ND	2.5	0.54	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	0.97	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.65	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.63	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.69	ug/l	
75-71-8	Dichlorodifluoromethane	ND	13	2.3	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.5	0.72	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.5	0.83	ug/l	
75-35-4	1,1-Dichloroethene	ND	2.5	0.99	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.54	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.62	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.5	0.68	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-11		
Lab Sample ID:	JA52233-2	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	13	0.62	ug/l	
594-20-7	2,2-Dichloropropane	ND	13	1.5	ug/l	
563-58-6	1,1-Dichloropropene	ND	13	0.59	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.5	0.62	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.5	0.53	ug/l	
100-41-4	Ethylbenzene	884 [a]	10	2.7	ug/l	
87-68-3	Hexachlorobutadiene	ND	13	1.7	ug/l	
98-82-8	Isopropylbenzene	37.2	5.0	1.4	ug/l	
99-87-6	p-Isopropyltoluene	2.7	13	1.7	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	206	2.5	0.58	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	13	2.1	ug/l	
74-95-3	Methylene bromide	ND	13	0.61	ug/l	
75-09-2	Methylene chloride	ND	5.0	0.76	ug/l	
91-20-3	Naphthalene	213	13	2.4	ug/l	
103-65-1	n-Propylbenzene	95.0	13	0.59	ug/l	
100-42-5	Styrene	ND	13	1.4	ug/l	
75-65-0	Tert Butyl Alcohol	ND	63	4.9	ug/l	
994-05-8	tert-Amyl Methyl Ether	17.4	13	1.4	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	13	0.51	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	13	0.56	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.5	0.60	ug/l	
127-18-4	Tetrachloroethene	ND	2.5	0.66	ug/l	
108-88-3	Toluene	64.2	2.5	0.75	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	13	1.2	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	13	1.4	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.64	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.5	0.58	ug/l	
79-01-6	Trichloroethene	ND	2.5	0.60	ug/l	
75-69-4	Trichlorofluoromethane	ND	13	1.3	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	13	1.2	ug/l	
95-63-6	1,2,4-Trimethylbenzene	784 [a]	50	2.8	ug/l	
108-67-8	1,3,5-Trimethylbenzene	114	13	0.75	ug/l	
75-01-4	Vinyl chloride	ND	2.5	1.1	ug/l	
	m,p-Xylene	946	2.5	0.63	ug/l	
95-47-6	o-Xylene	261	2.5	0.63	ug/l	
1330-20-7	Xylene (total)	1210	2.5	0.63	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%	88%	76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-11		
Lab Sample ID:	JA52233-2	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	95%	77%	64-135%
2037-26-5	Toluene-D8	89%	92%	76-117%
460-00-4	4-Bromofluorobenzene	82%	86%	72-122%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-12		
Lab Sample ID:	JA52233-3	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80417.D	1	07/27/10	MAH	n/a	n/a	V1C3516
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	3.6	5.0	0.22	ug/l	J
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-12		
Lab Sample ID:	JA52233-3	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	1.3	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	6.6	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	53.0	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	0.35	5.0	0.24	ug/l	J
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	13.1	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	1.1	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2.3	5.0	0.28	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	0.51	5.0	0.30	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	4.0	1.0	0.25	ug/l	
95-47-6	o-Xylene	1.0	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	5.0	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-12		
Lab Sample ID:	JA52233-3	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	79%		64-135%
2037-26-5	Toluene-D8	91%		76-117%
460-00-4	4-Bromofluorobenzene	85%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-13		
Lab Sample ID:	JA52233-4	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80418.D	1	07/27/10	MAH	n/a	n/a	V1C3516
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-13		
Lab Sample ID:	JA52233-4	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-13		
Lab Sample ID:	JA52233-4	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	81%		64-135%
2037-26-5	Toluene-D8	91%		76-117%
460-00-4	4-Bromofluorobenzene	86%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-14		
Lab Sample ID:	JA52233-5	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3B60705.D	1	08/04/10	JTP	n/a	n/a	V3B2833
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	118	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	0.42	5.0	0.22	ug/l	J
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	1.9	5.0	0.35	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-14		
Lab Sample ID:	JA52233-5	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	0.90	1.0	0.27	ug/l	J
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	2.9	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	109	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	28.8	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	0.69	5.0	0.24	ug/l	J
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	100	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	0.61	1.0	0.30	ug/l	J
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2.0	5.0	0.28	ug/l	J
108-67-8	1,3,5-Trimethylbenzene	1.9	5.0	0.30	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	6.9	1.0	0.25	ug/l	
95-47-6	o-Xylene	13.5	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	20.4	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	115%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-14		
Lab Sample ID:	JA52233-5	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	104%		64-135%
2037-26-5	Toluene-D8	112%		76-117%
460-00-4	4-Bromofluorobenzene	102%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-15		
Lab Sample ID:	JA52233-6	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80541.D	1	07/30/10	MAH	n/a	n/a	V1C3525
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-15		
Lab Sample ID:	JA52233-6	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-15		
Lab Sample ID:	JA52233-6	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	97%		64-135%
2037-26-5	Toluene-D8	86%		76-117%
460-00-4	4-Bromofluorobenzene	88%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-16		
Lab Sample ID:	JA52233-7	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80521.D	1	07/30/10	MAH	n/a	n/a	V1C3525
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-16		
Lab Sample ID:	JA52233-7	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	88%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-16		
Lab Sample ID:	JA52233-7	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	88%		64-135%
2037-26-5	Toluene-D8	89%		76-117%
460-00-4	4-Bromofluorobenzene	88%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-1A		
Lab Sample ID:	JA52233-8	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80522.D	25	07/30/10	MAH	n/a	n/a	V1C3525
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	250	72	ug/l	
71-43-2	Benzene	197	25	5.9	ug/l	
108-86-1	Bromobenzene	ND	130	6.1	ug/l	
74-97-5	Bromochloromethane	ND	130	8.3	ug/l	
75-27-4	Bromodichloromethane	ND	25	5.5	ug/l	
75-25-2	Bromoform	ND	100	5.8	ug/l	
74-83-9	Bromomethane	ND	50	7.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	250	41	ug/l	
104-51-8	n-Butylbenzene	ND	130	12	ug/l	
135-98-8	sec-Butylbenzene	17.6	130	5.6	ug/l	J
98-06-6	tert-Butylbenzene	ND	130	5.2	ug/l	
56-23-5	Carbon tetrachloride	ND	25	6.4	ug/l	
108-90-7	Chlorobenzene	ND	25	9.7	ug/l	
75-00-3	Chloroethane	ND	25	9.3	ug/l	
67-66-3	Chloroform	ND	25	5.9	ug/l	
74-87-3	Chloromethane	ND	25	7.2	ug/l	
95-49-8	o-Chlorotoluene	ND	130	7.7	ug/l	
106-43-4	p-Chlorotoluene	ND	130	6.5	ug/l	
108-20-3	Di-Isopropyl ether	ND	130	8.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	250	28	ug/l	
124-48-1	Dibromochloromethane	ND	25	5.4	ug/l	
106-93-4	1,2-Dibromoethane	ND	50	9.7	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	25	6.5	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	25	6.3	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	25	6.9	ug/l	
75-71-8	Dichlorodifluoromethane	ND	130	23	ug/l	
75-34-3	1,1-Dichloroethane	ND	25	7.2	ug/l	
107-06-2	1,2-Dichloroethane	ND	25	8.3	ug/l	
75-35-4	1,1-Dichloroethene	ND	25	9.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	25	5.4	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	25	6.2	ug/l	
78-87-5	1,2-Dichloropropane	ND	25	6.8	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-1A		
Lab Sample ID:	JA52233-8	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	130	6.2	ug/l	
594-20-7	2,2-Dichloropropane	ND	130	15	ug/l	
563-58-6	1,1-Dichloropropene	ND	130	5.9	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	25	6.2	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	25	5.3	ug/l	
100-41-4	Ethylbenzene	1340	25	6.7	ug/l	
87-68-3	Hexachlorobutadiene	ND	130	17	ug/l	
98-82-8	Isopropylbenzene	91.9	50	14	ug/l	
99-87-6	p-Isopropyltoluene	ND	130	17	ug/l	
1634-04-4	Methyl Tert Butyl Ether	108	25	5.8	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	130	21	ug/l	
74-95-3	Methylene bromide	ND	130	6.1	ug/l	
75-09-2	Methylene chloride	ND	50	7.6	ug/l	
91-20-3	Naphthalene	225	130	24	ug/l	
103-65-1	n-Propylbenzene	286	130	5.9	ug/l	
100-42-5	Styrene	ND	130	14	ug/l	
75-65-0	Tert Butyl Alcohol	ND	630	49	ug/l	
994-05-8	tert-Amyl Methyl Ether	31.4	130	14	ug/l	J
637-92-3	tert-Butyl Ethyl Ether	ND	130	5.1	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	130	5.6	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	25	6.0	ug/l	
127-18-4	Tetrachloroethene	ND	25	6.6	ug/l	
108-88-3	Toluene	2900	25	7.5	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	130	12	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	130	14	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	25	6.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	25	5.8	ug/l	
79-01-6	Trichloroethene	ND	25	6.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	130	13	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	130	12	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1890	130	7.1	ug/l	
108-67-8	1,3,5-Trimethylbenzene	522	130	7.5	ug/l	
75-01-4	Vinyl chloride	ND	25	11	ug/l	
	m,p-Xylene	3910	25	6.3	ug/l	
95-47-6	o-Xylene	874	25	6.3	ug/l	
1330-20-7	Xylene (total)	4780	25	6.3	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	88%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-1A		
Lab Sample ID:	JA52233-8	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	88%		64-135%
2037-26-5	Toluene-D8	88%		76-117%
460-00-4	4-Bromofluorobenzene	85%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-2A		
Lab Sample ID:	JA52233-9	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80520.D	10	07/30/10	MAH	n/a	n/a	V1C3525
Run #2	1C80617.D	50	08/02/10	MAH	n/a	n/a	V1C3530

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	29	ug/l	
71-43-2	Benzene	544	10	2.3	ug/l	
108-86-1	Bromobenzene	ND	50	2.4	ug/l	
74-97-5	Bromochloromethane	ND	50	3.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	2.2	ug/l	
75-25-2	Bromoform	ND	40	2.3	ug/l	
74-83-9	Bromomethane	ND	20	3.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	16	ug/l	
104-51-8	n-Butylbenzene	ND	50	4.7	ug/l	
135-98-8	sec-Butylbenzene	6.5	50	2.2	ug/l	J
98-06-6	tert-Butylbenzene	ND	50	2.1	ug/l	
56-23-5	Carbon tetrachloride	ND	10	2.6	ug/l	
108-90-7	Chlorobenzene	ND	10	3.9	ug/l	
75-00-3	Chloroethane	ND	10	3.7	ug/l	
67-66-3	Chloroform	ND	10	2.3	ug/l	
74-87-3	Chloromethane	ND	10	2.9	ug/l	
95-49-8	o-Chlorotoluene	ND	50	3.1	ug/l	
106-43-4	p-Chlorotoluene	ND	50	2.6	ug/l	
108-20-3	Di-Isopropyl ether	ND	50	3.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	100	11	ug/l	
124-48-1	Dibromochloromethane	ND	10	2.2	ug/l	
106-93-4	1,2-Dibromoethane	ND	20	3.9	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	2.6	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	2.5	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	2.8	ug/l	
75-71-8	Dichlorodifluoromethane	ND	50	9.2	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	2.9	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	3.3	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	4.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	10	2.5	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	2.7	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-2A		
Lab Sample ID:	JA52233-9	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	50	2.5	ug/l	
594-20-7	2,2-Dichloropropane	ND	50	6.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	50	2.4	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	2.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	2.1	ug/l	
100-41-4	Ethylbenzene	1590	10	2.7	ug/l	
87-68-3	Hexachlorobutadiene	ND	50	6.7	ug/l	
98-82-8	Isopropylbenzene	49.3	20	5.7	ug/l	
99-87-6	p-Isopropyltoluene	ND	50	6.9	ug/l	
1634-04-4	Methyl Tert Butyl Ether	430	10	2.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	8.6	ug/l	
74-95-3	Methylene bromide	ND	50	2.4	ug/l	
75-09-2	Methylene chloride	ND	20	3.0	ug/l	
91-20-3	Naphthalene	262	50	9.7	ug/l	
103-65-1	n-Propylbenzene	113	50	2.4	ug/l	
100-42-5	Styrene	ND	50	5.8	ug/l	
75-65-0	Tert Butyl Alcohol	ND	250	20	ug/l	
994-05-8	tert-Amyl Methyl Ether	54.8	50	5.5	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	50	2.1	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	50	2.2	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	2.4	ug/l	
127-18-4	Tetrachloroethene	ND	10	2.7	ug/l	
108-88-3	Toluene	865	10	3.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	50	4.7	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	50	5.6	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	2.6	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	2.3	ug/l	
79-01-6	Trichloroethene	ND	10	2.4	ug/l	
75-69-4	Trichlorofluoromethane	ND	50	5.4	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	50	4.9	ug/l	
95-63-6	1,2,4-Trimethylbenzene	1390	50	2.8	ug/l	
108-67-8	1,3,5-Trimethylbenzene	264	50	3.0	ug/l	
75-01-4	Vinyl chloride	ND	10	4.4	ug/l	
	m,p-Xylene	4290 [a]	50	13	ug/l	
95-47-6	o-Xylene	718	10	2.5	ug/l	
1330-20-7	Xylene (total)	5010 [a]	50	13	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%	90%	76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-2A		
Lab Sample ID:	JA52233-9	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	90%	92%	64-135%
2037-26-5	Toluene-D8	90%	87%	76-117%
460-00-4	4-Bromofluorobenzene	84%	86%	72-122%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-3A		
Lab Sample ID:	JA52233-10	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80542.D	1	07/30/10	MAH	n/a	n/a	V1C3525
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-3A		
Lab Sample ID:	JA52233-10	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	10.2	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	91%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-3A		
Lab Sample ID:	JA52233-10	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	96%		64-135%
2037-26-5	Toluene-D8	86%		76-117%
460-00-4	4-Bromofluorobenzene	88%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-5A		
Lab Sample ID:	JA52233-11	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80543.D	10	07/30/10	MAH	n/a	n/a	V1C3525
Run #2	1C80618.D	50	08/02/10	MAH	n/a	n/a	V1C3530

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	29	ug/l	
71-43-2	Benzene	45.6	10	2.3	ug/l	
108-86-1	Bromobenzene	ND	50	2.4	ug/l	
74-97-5	Bromochloromethane	ND	50	3.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	2.2	ug/l	
75-25-2	Bromoform	ND	40	2.3	ug/l	
74-83-9	Bromomethane	ND	20	3.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	16	ug/l	
104-51-8	n-Butylbenzene	ND	50	4.7	ug/l	
135-98-8	sec-Butylbenzene	38.3	50	2.2	ug/l	J
98-06-6	tert-Butylbenzene	ND	50	2.1	ug/l	
56-23-5	Carbon tetrachloride	ND	10	2.6	ug/l	
108-90-7	Chlorobenzene	ND	10	3.9	ug/l	
75-00-3	Chloroethane	ND	10	3.7	ug/l	
67-66-3	Chloroform	ND	10	2.3	ug/l	
74-87-3	Chloromethane	ND	10	2.9	ug/l	
95-49-8	o-Chlorotoluene	ND	50	3.1	ug/l	
106-43-4	p-Chlorotoluene	ND	50	2.6	ug/l	
108-20-3	Di-Isopropyl ether	ND	50	3.5	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	100	11	ug/l	
124-48-1	Dibromochloromethane	ND	10	2.2	ug/l	
106-93-4	1,2-Dibromoethane	ND	20	3.9	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	2.6	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	2.5	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	2.8	ug/l	
75-71-8	Dichlorodifluoromethane	ND	50	9.2	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	2.9	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	3.3	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	4.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	10	2.2	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	10	2.5	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	2.7	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-5A		
Lab Sample ID:	JA52233-11	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	50	2.5	ug/l	
594-20-7	2,2-Dichloropropane	ND	50	6.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	50	2.4	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	2.5	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	2.1	ug/l	
100-41-4	Ethylbenzene	1030	10	2.7	ug/l	
87-68-3	Hexachlorobutadiene	ND	50	6.7	ug/l	
98-82-8	Isopropylbenzene	115	20	5.7	ug/l	
99-87-6	p-Isopropyltoluene	22.0	50	6.9	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	10	2.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	8.6	ug/l	
74-95-3	Methylene bromide	ND	50	2.4	ug/l	
75-09-2	Methylene chloride	ND	20	3.0	ug/l	
91-20-3	Naphthalene	239	50	9.7	ug/l	
103-65-1	n-Propylbenzene	386	50	2.4	ug/l	
100-42-5	Styrene	ND	50	5.8	ug/l	
75-65-0	Tert Butyl Alcohol	ND	250	20	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	50	5.5	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	50	2.1	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	50	2.2	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	2.4	ug/l	
127-18-4	Tetrachloroethene	ND	10	2.7	ug/l	
108-88-3	Toluene	306	10	3.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	50	4.7	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	50	5.6	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	2.6	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	2.3	ug/l	
79-01-6	Trichloroethene	ND	10	2.4	ug/l	
75-69-4	Trichlorofluoromethane	ND	50	5.4	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	50	4.9	ug/l	
95-63-6	1,2,4-Trimethylbenzene	2180 [a]	250	14	ug/l	
108-67-8	1,3,5-Trimethylbenzene	560	50	3.0	ug/l	
75-01-4	Vinyl chloride	ND	10	4.4	ug/l	
	m,p-Xylene	2780	10	2.5	ug/l	
95-47-6	o-Xylene	824	10	2.5	ug/l	
1330-20-7	Xylene (total)	3600	10	2.5	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%	90%	76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-5A		
Lab Sample ID:	JA52233-11	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	96%	93%	64-135%
2037-26-5	Toluene-D8	89%	89%	76-117%
460-00-4	4-Bromofluorobenzene	83%	86%	72-122%

(a) Result is from Run# 2

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-8		
Lab Sample ID:	JA52233-12	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80654.D	1	08/03/10	MAH	n/a	n/a	V1C3531
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-8		
Lab Sample ID:	JA52233-12	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	0.62	1.0	0.23	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	MW-8		
Lab Sample ID:	JA52233-12	**Date Sampled:**	07/22/10
Matrix:	AQ - Ground Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	97%		64-135%
2037-26-5	Toluene-D8	87%		76-117%
460-00-4	4-Bromofluorobenzene	89%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JA52233-13	**Date Sampled:**	07/22/10
Matrix:	AQ - Trip Blank Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C80655.D	1	08/03/10	MAH	n/a	n/a	V1C3531
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	2.9	ug/l	
71-43-2	Benzene	ND	1.0	0.23	ug/l	
108-86-1	Bromobenzene	ND	5.0	0.24	ug/l	
74-97-5	Bromochloromethane	ND	5.0	0.33	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	4.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.30	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.6	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	0.47	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	0.22	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	0.21	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.26	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.39	ug/l	
75-00-3	Chloroethane	ND	1.0	0.37	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.29	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	0.31	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	0.26	ug/l	
108-20-3	Di-Isopropyl ether	ND	5.0	0.35	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.22	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.39	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.26	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.25	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.28	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.92	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.29	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.33	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.40	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.22	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.25	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.27	ug/l	

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JA52233-13	**Date Sampled:**	07/22/10
Matrix:	AQ - Trip Blank Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Compound	Result	RL	MDL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	0.25	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	0.60	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	0.67	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	0.57	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	0.69	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.23	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	0.86	ug/l	
74-95-3	Methylene bromide	ND	5.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.30	ug/l	
91-20-3	Naphthalene	ND	5.0	0.97	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	0.24	ug/l	
100-42-5	Styrene	ND	5.0	0.58	ug/l	
75-65-0	Tert Butyl Alcohol	ND	25	2.0	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND	5.0	0.55	ug/l	
637-92-3	tert-Butyl Ethyl Ether	ND	5.0	0.21	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.24	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.27	ug/l	
108-88-3	Toluene	ND	1.0	0.30	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	0.47	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.26	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.23	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.24	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.54	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	0.49	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	0.28	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	0.30	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.44	ug/l	
	m,p-Xylene	ND	1.0	0.25	ug/l	
95-47-6	o-Xylene	ND	1.0	0.25	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		76-120%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Accutest LabLink@11:23 09-Aug-2010

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JA52233-13	**Date Sampled:**	07/22/10
Matrix:	AQ - Trip Blank Water	**Date Received:**	07/23/10
Method:	SW846 8260B	**Percent Solids:**	n/a
Project:	GSCMD:16-G1R 285 Old Bay View Road, North East, MD		

MD VOA Full List + Oxygenates

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	97%		64-135%
2037-26-5	Toluene-D8	87%		76-117%
460-00-4	4-Bromofluorobenzene	88%		72-122%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

ACCUTEST Laboratories

CHAIN OF CUSTODY- ExxonMobil Projects

PAGE 1 OF 2

Accutest New Jersey (Mid Atlantic) Regional Lab
2235 US Highway 130, Dayton, NJ 08810
TEL: (732) 329-0200 FAX: (732) 329-3499
www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # JA52233

Client / Reporting Information

Company Name: Kleinfelder
Street Address: 1340 Charwood Road, Suite I
City: Hanover State: MD Zip: 21076
Project Contact: Natalie Hendricks E-mail:
Phone #: 410-850-0404 Fax #: 410-850-0049
Sampler(s) Name(s): Chris Cresci, Jason Bedi Phone #:

SITE NAME - Provide MRN for Retail or AFE for Major Projects

Retail Project (MRN): 16G1R
Major Project (AFE):
Project Name: 285 Old Bayview Road
City: North East State: Maryland
ExxonMobil Manager: Alexandria McBride
ExxonMobil Purchase Order #: 4512323658

ExxonMobil Environmental Services Co.

If Project is Direct Bill to Consultant
Company Name:
Street Address:
City: State: Zip:
Attention: PO#:

Requested Analysis (see TEST CODE sheet)

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL- Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	Full List+Oxygenate 8260	LAB USE ONLY
	MW-10 - 1		7/22/2010	1312	CC	GW	3	x								X	2200
	MW-11 - 2		7/22/2010	1425	CC	GW	3	x								X	
	MW-12 - 3		7/22/2010	1430	CC	GW	3	x								X	
	MW-13 - 4		7/22/2010	1230	JB	GW	3	x								X	
	MW-14 - 5		7/22/2010	1245	JB	GW	3	x								X	
	MW-15 - 6		7/22/2010	1225	JB	GW	3	x								X	
	MW-16 - 7		7/22/2010	1205	JB	GW	3	x								X	
	MW-1A - 8		7/22/2010	1415	CC	GW	3	x								X	
	MW-2A - 9		7/22/2010	1405	CC	GW	3	x								X	
	MW-3A - 10		7/22/2010	1350	CC	GW	3	x								X	
	~~MW-4~~		~~7/22/2010~~			GW	~~3~~	x								X	
	MW-5A - 11		7/22/2010	1325	JB	GW	3	x								X	

Turnaround Time (Business days)

Approved By (Accutest PM): / Date:

- [x] Std. 10 Business Days
- [ ] 8 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [x] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [ ] Other

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

1 cooler

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	7/22/2010	7-23-10 10:00	2 7-23-10	1720	2
Relinquished by Sampler: 3	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal # N/A	[ ] Intact [ ] Not intact	Preserved where applicable [ ] On Ice [x] Cooler Temp. 2.8C

JA52233: Chain of Custody
Page 1 of 3

ACCUTEST Laboratories

CHAIN OF CUSTODY- ExxonMobil Projects

PAGE 2 OF 2

Accutest New Jersey (Mid Atlantic) Regional Lab
2235 US Highway 130, Dayton, NJ 08810
TEL: (732) 329-0200 FAX: (732) 329-3499
www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # JA52233

Client / Reporting Information

Company Name: Kleinfelder
Street Address: 1340 Charwood Road, Suite I
City: Hanover State: MD Zip: 21076
Project Contact: Natalie Hendricks E-mail:
Phone #: 410-850-0404 Fax #: 410-850-0049
Sampler(s) Name(s): Chris Crosci, Jason Bacon Phone #:

SITE NAME - Provide MRN for Retail or AFE for Major Projects

Retail Project (MRN): 16G1R
Major Project (AFE):
Project Name: 285 Old Bayview Road
City: North East State: Maryland
ExxonMobil Manager: Alexandria McBride
ExxonMobil Purchase Order #: 4512323658

ExxonMobil Environmental Services Co.

If Project is Direct Bill to Consultant
Company Name:
Street Address:
City State Zip
Attention: PO#

Requested Analysis (see TEST CODE sheet)

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL- Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	Full List+Oxygenate 8260	LAB USE ONLY
	MW-8 -12		7/22/2010	1335	CC	GW	3	x								X	
	Trip Blank -13		7/22/2010	1430	CC	GW	2	X								X	

Turnaround Time (Business days)

Approved By (Accutest PM): / Date:

- [x] Std. 10 Business Days
- [ ] 8 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [x] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [ ] Other

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

1 cooler
• 5/11 7/7/10 0800 7/23/10

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	7/22/2010	1 7-23-10 1200	2 7-23-10	1720	2
3		3	4		4
Relinquished by: 5		Received By: 5	Custody Seal # N/A	Intact / Not Intact	Preserved where applicable / On Ice / Cooler Temp. 2.5

JA52233: Chain of Custody
Page 2 of 3

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JA52233 **Client:** **Immediate Client Services Action Required:** No

Date / Time Received: 7/23/2010 **Delivery Method:** **Client Service Action Required at Login:** No

Project: **No. Coolers:** 1 **Airbill #'s:**

Cooler Security	Y	N		Y	N
1. Custody Seals Present:	☑	☐	3. COC Present:	☑	☐
2. Custody Seals Intact:	☑	☐	4. Smpl Dates/Time OK	☑	☐

Cooler Temperature	Y	N
1. Temp criteria achieved:	☑	☐
2. Cooler temp verification:	Infared gun	
3. Cooler media:	Ice (bag)	

Quality Control Preservatio	Y	N	N/A
1. Trip Blank present / cooler:	☑	☐	☐
2. Trip Blank listed on COC:	☑	☐	☐
3. Samples preserved properly:	☑	☐	
4. VOCs headspace free:	☑	☐	☐

Sample Integrity - Documentation	Y	N
1. Sample labels present on bottles:	☑	☐
2. Container labeling complete:	☑	☐
3. Sample container label / COC agree:	☑	☐

Sample Integrity - Condition	Y	N
1. Sample recvd within HT:	☑	☐
2. All containers accounted for:	☑	☐
3. Condition of sample:	Intact	

Sample Integrity - Instructions	Y	N	N/A
1. Analysis requested is clear:	☑	☐	
2. Bottles received for unspecified tests	☐	☑	
3. Sufficient volume recvd for analysis:	☑	☐	
4. Compositing instructions clear:	☐	☐	☑
5. Filtering instructions clear:	☐	☐	☑

Comments

Accutest Laboratories
V:732.329.0200

2235 US Highway 130
F: 732.329.3499

Dayton, New Jersey
www/accutest.com