

Applications Received 05/16/2011 thru 06/15/2011

Allegany

ALLEGANY COUNTY DEPARTMENT OF PUBLIC WORKS-UTILITIES DIV. – 701 Kelly Road, Suite 300, Cumberland, MD 21502. (11-1077) Sewerage permit for pumping station upgrade at Beach View Drive near Hwy. 36 and Hwy. 35

CLISE COAL COMPANY - MIDLOTHIAN/BARNES MINE - West of Blan Avon & Winebrenner Rds, Midlothian, MD 21532. Application received for Installation of one (1) Screen

UPPER POTOMAC RIVER COMMISSION - 528 Maryland Ave, Westernport, MD 21562. Application received for Renewal SPTO for Wastewater treatment plant

Anne Arundel

AMERICAN INFRASTRUCTURE-MD, INC.-JESSUP (RAP) - 7970 Old Jessup Rd, Jessup, MD 20794. Application received for Initial SPTO for one (1) 300 TPH Screen for RAP

ANNE ARUNDEL COUNTY – 2662 Riva road, Annapolis, MD 21401. (11-1067) Water permit to construct water mains and water pumping station at Disney Road and Disney Estates Cir., Severn

ANNE ARUNDEL COUNTY DPW – Heritage Office Complex, 2662 Riva Road, Annapolis, MD 21401. (11-1071) Sewerage permit to construct sewer pump station upgrade at Campus Green Drive and Jones Station Road

BALTIMORE WASHINGTON INTERNATIONAL THURGOOD MARSHALL AIRPORT - 761 Elm Rd, BWI Airport, MD 21240. Application received for Installation of one (1) diesel-fired emergency generator rated @ 2000 kW

BP PRODUCTS NORTH AMERICA - CURTIS BAY TERMINAL - 801 E Ordnance Rd, Curtis Bay, MD 21226. Application received for Modification to loading rack for butane blending.

GENERAL DYNAMICS ADVANCED INFORMATION SYSTEMS - 1340 Ashton Rd, Hanover, MD 21076. Application received for Installation of two (2) Emergency generators, each rated @ 565 kW

HILTON GARDEN INN - BALTIMORE/ARUNDEL MILLS - 7491-A New Ridge Rd, Hanover, MD 21076. Application received for Installation of one (1) Emergency generator rated @ 500 kW

RELIABLE CONTRACTING COMPANY, INC. - 101 Dover Rd, Glen Burnie, MD 21061. Application received for Renewal synthetic minor PTO for one (1) 400 ton per hour Terex Roadbuilders E400R counterflow drum mix hot mix asphalt (HMA) plant equipped with a Terex cyclone and Pulse-Jet fabric filter

SOUTHWEST AIRLINES FUEL STORAGE FACILITY - 1001 Air Cargo Service Rd, BWI Airport, MD 21240. Application received for Installation of one (1) KaroLight, Model #D900FRX4 rated @ 900 kW

Baltimore City

KEMIRA WATER SOLUTIONS, INC. - 3925 Fort Armistead Rd, Curtis Bay, MD 21226. Application received for Initial SPTO for Iron sulfate & iron chloride mfg

MAYOR AND CITY COUNCIL OF BALTIMORE, DPW, BUREAU OF WATER AND WASTEWATER – 900 Abel Wolman Municipal Bldg., 200 N. Holliday St., Baltimore, MD. (11-1078) Sewerage permit for nitrification filters and related work for the ENR facilities at the Patapsco WWTP

W R GRACE AND CO - DAVISON CHEMICAL DIVISION - 5500 Chemical Rd, Curtis Bay, MD 21226. Application received for Installation of one (1) baghouse to replace two (2) existing baghouses in the facility's SGO Plant (ARMA registration no. 510-0076-7-1095)

Baltimore County

BALTIMORE COUNTY DPW – 111 W. Chesapeake Avenue, Towson, MD 21204. (11-1074) Sewerage permit to construct pumping station improvements at 320 Wye Road

BILL BATEMAN'S BISTRO - 9629 Belair Rd, Perry Hall, MD 21236. Application received for Installation of one Vulcan (Vac647) charbroiler

DIAGEO NORTH AMERICA - 5001 Washington Blvd, Halethorpe, MD 21227. Application received for Modification of the existing distilled spirits filter systems by replacing six (6) plate and frame filters with seven (7) new SUPRApak filters and addition of one (1) new SUPRApak filter.

KERNAN ORTHOPAEDICS AND REHABILITATION HOSPITAL - 2200 Kernan Drive, Woodlawn, MD 21207. Application received for Installation of one Hurst Series 400-250 BHP boiler rated at 10.5 MMBtu

KITTOVNANION HOMES OF MARYLAND, LLC. – 1802 Brightseat Road, Landover, MD 20785. (11-1070) Sewerage permit to construct force main at southside of Sterling Avenue east of the intersection with Wampler Road

OLSON WIRE PRODUCTS CO INC - 4100 Benson Ave, Arbutus, MD 21227.
Application received for Installation of one Cleaver Brooks boiler rated at 5.23 MMBtu

PHARMACEUTICS INTERNATIONAL INC - 10819 Gilroy Rd; STE 100, Hunt Valley, MD 21031. Application received for Installation of one Bryan (CLM180-5-150-FDG) boiler rated at 1.8MMBtu

PHARMACEUTICS INTERNATIONAL INC - 10819 Gilroy Rd; STE 100, Hunt Valley, MD 21031. Application received for Modification of the tablet coater operation by the increase of ethanol usage and the addition of one (1) new scrubber system

PHARMACEUTICS INTERNATIONAL, INC. - 103 Beaver Ct, Cockeysville, MD 21030. Application received for Installation of one (1) 48" XFCM O'Hara Tablet Coater controlled by one (1) existing Thermal Oxidizer

UNI SELECT TRAINING CENTER - 6943-6945 Golden Ring Rd, Baltimore, MD 21237. Application received for Installation of one Unicure/100G spray painting booth

WAWA FOOD MARKET 8501 - 516 Main St, Reisterstown, MD 211361916.
Application received for Installation of three (3) 15,000 gallons gasoline under ground storage tanks

Carroll

LEHIGH CEMENT COMPANY LLC - 675 Quaker Hill Rd, Union Bridge, MD 21791.
Application received for Installation of one (1) Powdered activated carbon (PAC) injection system

Cecil

MASON DIXON MATERIALS - 340 Perrylawn Dr, Port Deposit, MD 21904.
Application received for Renewal SPTO for one (1) 100 ton per hour stone crushing and screening plant equipped with a wet suppression system

TERUMO MEDICAL CORPORATION - 125 Blue Ball Rd, Elkton, MD 21921.
Application received for Renewal Part 70 PTO for one (1) Medical device manufacturing facility consisting of assembly lines with fume hoods, coating lines and boilers

TERUMO MEDICAL CORPORATION - 950 Elkton Blvd, Elkton, MD 21921.
Application received for Renewal Part 70 PTO for one (1) Medical device manufacturing facility consisting of assembly lines with drying oven, printers and boilers

Charles

NAVAL SUPPORT FACILITY INDIAN HEAD - 3972 Ward Rd; Ste 101, Bldg 289, Indian Head, MD 206405157. Application received for Amend PTC issued 05/23/2011 for expansion of existing explosive manufacturing processes

Dorchester

AMICK FARMS, LLC - 274 Neelson St, Hurlock, MD 21643. Application received for Installation of one Cleaver-Brooks (CB-600-350) boiler rated at 14.6 MMBtu

Frederick

AMG IDEALCAST SOLAR CORP - NORTH CASTING FACILITY - 630 Solarex Court, North Casting Facility, Frederick, MD 21703. Application received for One (1) Casting facility (North) consisting of one (1) Emergency Diesel Generator rated at 750 kw and one (1) Silicon Ingot Casting facility controlled by one (1) Packed Bed Scrubber (Fisher Klosterman BPS 480-72), and one (1) Sandblaster controlled by one (1) closed loop dust collector (Torit TD-486).

CANAM STEEL CORPORATION - 4010 Clay St, Point Of Rocks, MD 21777. Application received for Renewal Part 70 PTO for Steel fabricating and coating operation

DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT – 4520 Metropolitan Court, Frederick, MD 21704. (11-1076) Sewerage permit to construct gravity sewers along Bush Creek, from the Monrovia WWTP to the County Landfill

DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT – 4520 Metropolitan Court, Frederick, MD 21704. (11-1075) Sewerage permit to construct gravity sewers along Bush Creek, from Green Valley Road. (Rt. 75) to the Monrovia WWTP

FORT DETRICK - AREA B & MAIN POST - 810 Schreider St, Fort Detrick, MD 21702. Application received for Installation of one (1) emergency generator rated @ 1000 kW

FORT DETRICK WWTP - 1780 N Market St, Fort Detrick, MD 21701. Application received for Installation of one (1) Emergency generator rated @ 1600 kW

KURT'S PIT STOP BBQ - 12516 Fingerboard Rd, Monrovia, MD 21770. Application received for Installation of one Cookshack 260 charbroiler

S.W. BARRICK & SONS - LEGORE QUARRY - 11640 Woodsboro Pike, Keymar, MD 21757. Application received for Renewal SPTO for one (1) 600 ton per hour limestone crushing and screening plant equipped with a baghouse and a wet suppression system

TAMKO BUILDING PRODUCTS INC. - 4500 Tamko Drive, Frederick, MD 21703. Application received for Installation of a new filled laminate system to Line 4 to replace the existing laminate system

Garrett

MARYLAND MINERALS - SAVAGE QUARRY - 566 Hoyes Sang Run Rd, Accident, MD 21520. Application received for One (1) 200 ton per hour sandstone crushing and screening plant equipped with a wet suppression system

Harford

HARFORD INDUSTRIALS MINERALS DBA HARFORD SANDS - 40 Fort Hoyle Rd, Joppa, MD 21085. Application received for Renewal SPTO for one (1) 30 TPH Barber Green Fluid Bed Sand Dryer equipped with a cyclone and multi-stage Schneible scrubber

HARFORD WASTE DISPOSAL CENTER - 3241 Scarboro Rd, Street, MD 21154. Application received for Initial Part 70 PTO for (1) Municipal solid waste (MSW) sanitary landfill

INDEPENDENT CAN COMPANY - 1300 Brass Mill Rd, Belcamp, MD 21017. Application received for Installation of one (1) sheet-fed roll coating line and curing oven equipped with a thermal oxidizer.

MARYLAND HOUSE TRAVEL PLAZA - 4805 JFK Hwy MM82, Aberdeen, MD 21001. Application received for Installation of (2) HB Smith (19 S/W) boilers each rated at 1.6 MMBtu

Howard

COASTAL SUNBELT PRODUCE - 8704 Bollman Pl, Savage, MD 20763. Application received for Modification to existing two (2) emergency generators to add peak shaving

GENERAL DYNAMICS ADVANCED INFORMATION SYSTEMS - 2721 Technology Drive, Annapolis Junction, MD 20701. Application received for Installation of two (2) Emergency generators, each rated @ 561 kW

WINCHESTER HOMES, INC. - 6905 Rockledge Drive, Suite 800, Bethesda, MD 20817. (11-1073) Sewerage permit to construct gravity sewers and wastewater treatment plant at Whithorn Way, Ellicott City

Montgomery

CONGRESSIONAL COUNTRY CLUB - 8500 River Rd, Bethesda, MD 208172699. Application received for Installation of two (2) Emergency generators: (1) rated @ 400 kW & (1) rated @ 1000 kW

GRILL MARX STEAKHOUSE & RAW BAR - 18149 Town Center Dr, Olney, MD 20832. Application received for Installation of one Aztec Grill (ST-54) charbroiler

MONTGOMERY COUNTY PUBLIC SCHOOLS – 2096 Gaither Road, Suite 203, Rockville, MD 20850. (11-1066) Sewerage permit to construct force mains, wastewater pumping station and wastewater treatment plant at 15030 Turkey Foot Road in Gaithersburg

NANDO'S OF GAITHERSBURG LLC - 224 Boardwalk Place, Gaithersburg, MD 20878. Application received for Installation of one Wolf (ACB60) charbroiler

NAVAL SUPPORT ACTIVITY BETHESDA - 8901 Wisconsin Ave, Bethesda, MD 20889. Application received for Installation of one (1) Emergency generator rated @ 1750 kW

NAVAL SUPPORT ACTIVITY BETHESDA - 8901 Wisconsin Ave, Bethesda, MD 20889. Application received for Installation of two (2) Emergency generators, each rated @ 600 kW

U.S. ARMY - FOREST GLEN ANNEX - 9100 Brookville Rd, Forest Glen, MD 20910. Application received for Installation of three (3) Boilers, each rated @ 37.7 MMBtu/hr heat input capacity

Prince George's

NANDO'S OF NATIONAL HARBOR LLC - 191 American Way, National Harbor, MD 20745. Application received for Installation of one Wolf (ACB60) charbroiler

NASA GODDARD SPACE FLIGHT CENTER - 8800 Greenbelt Rd, Greenbelt, MD 20771. Application received for Installation of one (1) MTU Detroit Diesel fired emergency generator rated @ 1000 kW to replace the three (3) existing 500 kW emergency generators located at Building 24C.

Somerset

LANKFORD SYSCO FOOD SERVICES, LLC - 33239 Costen Rd, Pocomoke City, MD 21851. Application received for Installation of two (2) Emergency generators, each rated @ 1650 kW

MOUNTAIRE FARMS OF DELMARVA INC - 30700 King Miller Rd, Princess Anne, MD 21853. Application received for Simple Permit to Construct for two (2) diesel fired engines rated at 760 HP and 750 HP to be used for peak shaving.

MOUNTAIRE FARMS, INC. - PRINCESS ANNE FEED MILL - 30607 Revells Neck Rd, Westover, MD 21871. Application received for Modification of two (2) existing, diesel fired engines (one rated at 760 horsepower and one rated at 750 horsepower) to be used for peak shaving

Talbot

JENSEN'S, INC. – 246 Redstone Street, P.O. Box 608, Southington, CT. (11-1069)
Sewerage permit to construct force main and wastewater pumping station at Easton, MD

Washington

C. WILLIAM HETZER, INC - SHALE PIT - Clearspring Rd & Sword Rd, Williamsport,
MD 21795. Application received for Initial synthetic minor SPTO for (1) Crushing &
screening plant

Wicomico

CADISTA PHARMACEUTICALS, INC. - 207 Kiley Dr, Salisbury, MD 21801.
Application received for Modification to premises-wide synthetic minor permit for
process changes and addition of HEPA filters

HOLLOWAY FUNERAL HOME - 501 Snow Hill Rd, Salisbury, MD 21801.
Application received for Installation of one (1) Matthews Cremation Division IEB-16 Pet
crematory

SHA - SALISBURY - 660 West Rd, Salisbury, MD 21801. Application received for
Installation of one 10,000-gallons gasoline above ground storage tank

Worcester

LAKE HAVEN MHP ASSOCIATES, LLC. – 70 Old Stonefield Way, Pittsford, NY
14534. (11-1068) Water permit to construct pumping station and water treatment plant at
110203 Grays Corner Road

LAKE HAVEN MHP ASSOCIATES, LLC. – 70 Old Stonefield Way, Pittsford, NY
14534. (11-1072) Sewerage permit to construct force main, wastewater pumping station
and wastewater treatment plant at 110303 Grays Corner Road

SIMON & OLIVER'S WOOD-FIRED GRILLE - 11604 Coastal Hwy, #101, Ocean City,
MD 21842. Application received for Installation of one Aztec Frill (ST42) charbroiler